
pyevr Documentation

Release 0.2.0

Thorgate

Nov 26, 2019

Contents:

1	pyevr	1
1.1	Features	1
1.2	Credits	1
2	Installation	3
2.1	Stable release	3
2.2	From sources	3
3	Usage	5
4	pyevr package	7
4.1	Subpackages	7
4.2	Submodules	92
4.3	pyevr.client module	92
4.4	pyevr.main module	93
4.5	Module contents	93
5	Contributing	95
5.1	Types of Contributions	95
5.2	Get Started!	96
5.3	Pull Request Guidelines	97
5.4	Tips	97
5.5	Deploying	97
6	Credits	99
6.1	Development Lead	99
6.2	Contributors	99
7	History	101
7.1	0.1.0 (2019-11-09)	101
8	Indices and tables	103
	Python Module Index	105
	Index	107

CHAPTER 1

pyevr

Python client for EVR

- Free software: MIT license
- Documentation: <https://pyevr.readthedocs.io>.

1.1 Features

- TODO

1.2 Credits

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.

2.1 Stable release

To install pyevr, run this command in your terminal:

```
$ pip install pyevr
```

This is the preferred method to install pyevr, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for pyevr can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/thorgate/pyevr
```

Or download the [tarball](#):

```
$ curl -OJL https://github.com/thorgate/pyevr/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


CHAPTER 3

Usage

To use pyevr in a project:

```
import pyevr
```


4.1 Subpackages

4.1.1 pyevr.openapi_client package

Subpackages

pyevr.openapi_client.api package

Submodules

pyevr.openapi_client.api assortments_api module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.api.assortments_api.AssortmentsApi (api_client=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
assortments_list (**kwargs)
```

Sortimentide pärimine # noqa: E501

Tagastab EVR-i aktiivsed sortimendid. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.assortments_list(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns PagedResultOfAssortment If the method is called asynchronously, returns the request thread.

assortments_list_with_http_info (***kwargs*)

Sortimentide pärimine # noqa: E501

Tagastab EVR-i aktiivsed sortimendid. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.assortments_list_with_http_info(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PagedResultOfAssortment, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

pyevr.openapi_client.api.certificates_api module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.api.certificates_api.**CertificatesApi** (*api_client=None*)
Bases: object

NOTE: This class is auto generated by OpenAPI Generator Ref: <https://openapi-generator.tech>

Do not edit the class manually.

certificates_list (***kwargs*)
Sertifikaatide pärimine # noqa: E501

Tagastab EVR-i aktiivsed sertifikaadid. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.certificates_list(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns PagedResultOfCertificate If the method is called asynchronously, returns the request thread.

certificates_list_with_http_info (**kwargs)

Sertifikaatide pärimine # noqa: E501

Tagastab EVR-i aktiivsed sertifikaadid. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.certificates_list_with_http_info(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PagedResultOfCertificate, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

pyevr.openapi_client.api.measurement_units_api module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class `pyevr.openapi_client.api.measurement_units_api.MeasurementUnitsApi` (*api_client=None*)
Bases: `object`

NOTE: This class is auto generated by OpenAPI Generator Ref: <https://openapi-generator.tech>

Do not edit the class manually.

measurement_units_list (***kwargs*)

Mõõtühikute pärimine # noqa: E501

Tagastab EVR-i aktiivsed mõõtühikud. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.measurement_units_list(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär-tused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns PagedResultOfMeasurementUnit If the method is called asynchronously, returns the request thread.

measurement_units_list_with_http_info (***kwargs*)

Mõõtühikute pärimine # noqa: E501

Tagastab EVR-i aktiivsed mõõtühikud. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.measurement_units_list_with_http_info(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär-tused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PagedResultOfMeasurementUnit, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

pyevr.openapi_client.api.measurements_api module

EVR API

OpenAPI Generator’i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class `pyevr.openapi_client.api.measurements_api.MeasurementsApi` (*api_client=None*)
Bases: `object`

NOTE: This class is auto generated by OpenAPI Generator Ref: <https://openapi-generator.tech>

Do not edit the class manually.

measurements_get (*number*, ***kwargs*)

Veoselehe mõõtmisandmete pärimine # noqa: E501

Tagastab veoselehega seotud mõõtmisandmed. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.measurements_get(number, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns PagedResultOfMeasurementAct If the method is called asynchronously, returns the request thread.

measurements_get_with_http_info (*number*, ***kwargs*)

Veoselehe mõõtmisandmete pärimine # noqa: E501

Tagastab veoselehega seotud mõõtmisandmed. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.measurements_get_with_http_info(number, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PagedResultOfMeasurementAct, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

measurements_post (*number*, *add_measurement_act_request*, ***kwargs*)

Veoselehele mõõtmisandmete lisamine # noqa: E501

Lisab veoselehele mõõtmisandmed. Mõõtmisandmeid saab lisada “koorem maas” staatuses veoselehele sellele märgitud veose saaja või tema volitatud mõõtja. Mõõtmistulemusi on võimalik lisada koormapakkidena või lihtsalt sortimentide kogustena. # noqa: E501 This method makes a synchronous

HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.measurements_post(number, add_measurement_act_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **add_measurement_act_request** (*AddMeasurementActRequest*) – Mõõtmisandmed (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the `urllib3.HTTPResponse` object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

measurements_post_with_http_info (*number, add_measurement_act_request, **kwargs*)
Veoselehele mõõtmisandmete lisamine # noqa: E501

Lisab veoselehele mõõtmisandmed. Mõõtmisandmeid saab lisada “koorem maas” staatuses veoselehele sellele märgitud veose saaja või tema volitatud mõõtja. Mõõtmistulemusi on võimalik lisada koormapakkidena või lihtsalt sortimentide kogustena. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.measurements_post_with_http_info(number, add_measurement_act_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **add_measurement_act_request** (*AddMeasurementActRequest*) – Mõõtmisandmed (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the `urllib3.HTTPResponse` object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

pyevr.openapi_client.api.organizations_api module

EVR API

OpenAPI Generator’i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class `pyevr.openapi_client.api.organizations_api.OrganizationsApi` (*api_client=None*)
 Bases: `object`

NOTE: This class is auto generated by OpenAPI Generator Ref: <https://openapi-generator.tech>

Do not edit the class manually.

organizations_list (***kwargs*)

Registreeritud asutuste pärimine # noqa: E501

Tagastab EVR-i aktiivsed asutused. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.organizations_list(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **code_starts_with** (*str*) – Filtreerib asutused, mille registrikood algab otsinguterminiga
- **name_contains** (*str*) – Filtreerib asutused, mille nimi sisaldab otsinguterminiga
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns `PagedResultOfOrganization` If the method is called asynchronously, returns the request thread.

organizations_list_with_http_info (***kwargs*)

Registreeritud asutuste pärimine # noqa: E501

Tagastab EVR-i aktiivsed asutused. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.organizations_list_with_http_info(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **code_starts_with** (*str*) – Filtreerib asutused, mille registrikood algab otsinguterminiga
- **name_contains** (*str*) – Filtreerib asutused, mille nimi sisaldab otsinguterminiga
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.

- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PagedResultOfOrganization, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

pyevr.openapi_client.api.place_of_deliveries_api module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.api.place_of_deliveries_api.PlaceOfDeliveriesApi (api_client=None)
    Bases: object
```

NOTE: This class is auto generated by OpenAPI Generator Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
place_of_deliveries_add_or_update (code, put_place_of_delivery_request, **kwargs)
    Tarnekoha lisamine ja muutmine # noqa: E501
```

Lisab uue tarnekoha. Kui antud koodiga tarnekoht juba eksisteerib, siis muudab olemasolevat tarnekohta. Loomisel märgitakse päringu tegija tarnekoha omanikuks. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.place_of_deliveries_add_or_update(code, put_place_of_delivery_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **code** (*str*) – Kood (required)
- **put_place_of_delivery_request** (*PutPlaceOfDeliveryRequest*) – (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on vääratud “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

```
place_of_deliveries_add_or_update_with_http_info (code,
                                                    put_place_of_delivery_request,
                                                    **kwargs)
```

Tarnekoha lisamine ja muutmine # noqa: E501

Lisab uue tarnekoha. Kui antud koodiga tarnekoht juba eksisteerib, siis muudab olemasolevat tarnekohta. Loomisel märgitakse päringu tegija tarnekoha omanikuks. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.place_of_deliveries_add_or_update_with_http_info(code, put_place_of_delivery_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **code** (*str*) – Kood (required)
- **put_place_of_delivery_request** (*PutPlaceOfDeliveryRequest*) – (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned with- out reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

place_of_deliveries_get (*code*, ***kwargs*)

Tarnekoha pärimine # noqa: E501

Tagastab koodile vastava tarnekoha. Pärida saab ainult enda asutusele kuuluvat tarnekohta. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.place_of_deliveries_get(code, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **code** (*str*) – Päritava tarnekoha kood (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned with- out reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns PlaceOfDelivery If the method is called asynchronously, returns the request thread.

place_of_deliveries_get_with_http_info (*code*, ***kwargs*)

Tarnekoha pärimine # noqa: E501

Tagastab koodile vastava tarnekoha. Pärida saab ainult enda asutusele kuuluvat tarnekohta. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.place_of_deliveries_get_with_http_info(code, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **code** (*str*) – Päritava tarnekoha kood (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned with- out reading/decoding response data. Default is True.

- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PlaceOfDelivery, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

place_of_deliveries_list (***kwargs*)

Tarnekohtade pärimine # noqa: E501

Tagastab filtritele vastavad aktiivsed avalikud tarnekohad ja kõik ettevõttega seotud tarnekohad. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.place_of_deliveries_list(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **name_contains** (*str*) – Filtreerib tarnekohad, mille nimi sisaldab otsinguterminite
- **code_starts_with** (*str*) – Filtreerib tarnekohad, mille kood algab otsinguterminiga
- **register_code** (*str*) – Filtreerib ettevõtte tarnekohad, mille registrikood vastab otsinguterminile
- **address** (*str*) – Vabatekstiline aadressi otsing. Toetatud on järgmine süntaks: * ilma jutumärkideta tekst: sõnade vahel rakendatakse loogiline JA * jutumärkides tekst: otsitakse jutumärkides olevat lauset * OR: loogiline VÕI operaator sõnade vahel * -: loogiline EITUS
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär-tused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns PagedResultOfPlaceOfDelivery If the method is called asynchronously, returns the request thread.

place_of_deliveries_list_with_http_info (***kwargs*)

Tarnekohtade pärimine # noqa: E501

Tagastab filtritele vastavad aktiivsed avalikud tarnekohad ja kõik ettevõttega seotud tarnekohad. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.place_of_deliveries_list_with_http_info(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **name_contains** (*str*) – Filtreerib tarnekohad, mille nimi sisaldab otsinguterminite
- **code_starts_with** (*str*) – Filtreerib tarnekohad, mille kood algab otsinguterminiga
- **register_code** (*str*) – Filtreerib ettevõtte tarnekohad, mille registrikood vastab otsinguterminile

- **address** (*str*) – Vabatekstiline aadressi otsing. Toetatud on järgmine süntaks: * ilma jutumärkideta tekst: sõnade vahel rakendatakse loogiline JA * jutumärkides tekst: otsitakse jutumärkides olevat lauset * OR: loogiline VÕI operaator sõnade vahel * -: loogiline EITUS
- **page** (*int*) – Tagastatav lehekülg
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PagedResultOfPlaceOfDelivery, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

pyevr.openapi_client.api.waybills_api module

EVR API

OpenAPI Generator’i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.api.waybills_api.WaybillsApi (*api_client=None*)
Bases: object

NOTE: This class is auto generated by OpenAPI Generator Ref: <https://openapi-generator.tech>

Do not edit the class manually.

waybills_add_shipments (*number, add_shipments_to_waybill_request, **kwargs*)
Veoselehele veose lisamine # noqa: E501

Lisab veoselehele uue veose. Uusi veoseid saab lisada ainult veoselehele vedajaks märgitud asutus. Veoseid saab lisada ainult veos olevatele veoselehtedele. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_add_shipments(number, add_shipments_to_waybill_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **add_shipments_to_waybill_request** (*AddShipmentsToWaybillRequest*) – (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

waybills_add_shipments_with_http_info (*number*, *add_shipments_to_waybill_request*,
***kwargs*)

Veoselehele veose lisamine # noqa: E501

Lisab veoselehele uue veose. Uusi veoseid saab lisada ainult veoselehele vedajaks märgitud asutus. Veoseid saab lisada ainult veos olevatele veoselehtedele. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True`
>>> thread = api.waybills_add_shipments_with_http_info(number, add_shipments_to_waybill_request, async_req=True) >>> result = thread.get()

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **add_shipments_to_waybill_request** (`AddShipmentsToWaybillRequest`) – (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär-tused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

waybills_cancel (*number*, *cancel_waybill_request*, ***kwargs*)

Veoselehe tühistamine # noqa: E501

Tühistab veoselehe. Veoselehe staatuseks märgitakse tühistatud (status: “cancelled”). Veoselehe saab tühistada ainult veoselehe looja, kuni veoseleht pole veel vastu võetud. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> thread = api.waybills_cancel(number, cancel_waybill_request, async_req=True) >>> result = thread.get()

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **cancel_waybill_request** (`CancelWaybillRequest`) – (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär-tused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

waybills_cancel_with_http_info (*number*, *cancel_waybill_request*, ***kwargs*)

Veoselehe tühistamine # noqa: E501

Tühistab veoselehe. Veoselehe staatuseks märgitakse tühistatud (status: “cancelled”). Veoselehe saab tühistada ainult veoselehe looja, kuni veoseleht pole veel vastu võetud. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_cancel_with_http_info(number, cancel_waybill_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **cancel_waybill_request** (*CancelWaybillRequest*) – (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned with- out reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

waybills_finish (*number, **kwargs*)

Veoselehe lõpetamine # noqa: E501

Lõpetab veoselehe ja veoselehe staatuseks märgitakse “veoseleht lõpetatud” (status: “finished”). Veose- lehte saab lõpetada veoselehele märgitud saaja ja seda ainult “koorem maas” staatuses. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_finish(number, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned with- out reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

waybills_finish_with_http_info (*number, **kwargs*)

Veoselehe lõpetamine # noqa: E501

Lõpetab veoselehe ja veoselehe staatuseks märgitakse “veoseleht lõpetatud” (status: “finished”). Veose- lehte saab lõpetada veoselehele märgitud saaja ja seda ainult “koorem maas” staatuses. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_finish_with_http_info(number, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously

- **number** (*str*) – Veoselehe number (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

waybills_get (***kwargs*)

Veoselehtede pärimine # noqa: E501

Tagastab filtritele vastavad veoselehed. Veoselehti saavad pärida ainult nendega seotud asutused. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_get(async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **created_after** (*datetime*) – Filtreerib veoselehed, mis on loodud hiljem või samal ajal. Ajavahemik ‘created_after’ ning ‘created_before’ vahel peab jääma 1 kuu piiresse.
- **created_before** (*datetime*) – Filtreerib veoselehed, mis on loodud varem või samal ajal. Ajavahemik ‘created_after’ ning ‘created_before’ vahel peab jääma 1 kuu piiresse.
- **last_modified_after** (*datetime*) – Filtreerib veoselehed, mis on muutunud pärast määratud aega
- **status** (*WaybillStatus*) – Filtreerib veoselehed, mis vastavad määratud staatusele
- **owner_code** (*str*) – Filtreerib veoselehed, millel on sama omaniku kood
- **transporter_code** (*str*) – Filtreerib veoselehed, millel on sama transportija kood
- **receiver_code** (*str*) – Filtreerib veoselehed, millel on sama saaja kood
- **van_registration_number** (*str*) – Filtreerib veoselehed, millel on sama veoki registreerimisnumber (tõstutundlik)
- **trailer_registration_number** (*str*) – Filtreerib veoselehed, millel on sama haagise registreerimisnumber (tõstutundlik)
- **text** (*str*) – Vabateksti otsing. Toetatud on järgmine süntaks: * ilma jutumärkideta tekst: sõnade vahel rakendatakse loogiline JA. * jutumärkides tekst: otsitakse jutumärkides olevat lauset. * OR: loogiline VÕI operaator sõnade vahel. * -: loogiline EITUS.
- **sort** (*WaybillSortField*) – Sorteerib tulemused valitud välja järgi
- **page** (*int*) – Määrab tagastatava lehekülje
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.

- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns PagedResultOfWaybill If the method is called asynchronously, returns the request thread.

waybills_get2 (*number*, ***kwargs*)

Veoselehe pärimine # noqa: E501

Tagastab numbrile vastava veoselehe. Veoselehte saavad pärida ainult sellega seotud asutused. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_get2(number, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Päritava veoselehe number (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns Waybill If the method is called asynchronously, returns the request thread.

waybills_get2_with_http_info (*number*, ***kwargs*)

Veoselehe pärimine # noqa: E501

Tagastab numbrile vastava veoselehe. Veoselehte saavad pärida ainult sellega seotud asutused. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_get2_with_http_info(number, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Päritava veoselehe number (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(Waybill, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

waybills_get_with_http_info (***kwargs*)

Veoselehtede pärimine # noqa: E501

Tagastab filtritele vastavad veoselehed. Veoselehti saavad pärida ainult nendega seotud asutused. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP

```
request, please pass async_req=True >>> thread = api.waybills_get_with_http_info(async_req=True) >>>
result = thread.get()
```

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **created_after** (*datetime*) – Filtreerib veoselehed, mis on loodud hiljem või samal ajal. Ajavahemik ‘created_after’ ning ‘created_before’ vahel peab jääma 1 kuu piiresse.
- **created_before** (*datetime*) – Filtreerib veoselehed, mis on loodud varem või samal ajal. Ajavahemik ‘created_after’ ning ‘created_before’ vahel peab jääma 1 kuu piiresse.
- **last_modified_after** (*datetime*) – Filtreerib veoselehed, mis on muutunud pärast määratud aega
- **status** (*WaybillStatus*) – Filtreerib veoselehed, mis vastavad määratud staatusele
- **owner_code** (*str*) – Filtreerib veoselehed, millel on sama omaniku kood
- **transporter_code** (*str*) – Filtreerib veoselehed, millel on sama transportija kood
- **receiver_code** (*str*) – Filtreerib veoselehed, millel on sama saaja kood
- **van_registration_number** (*str*) – Filtreerib veoselehed, millel on sama veoki registreerimisnumber (tõstutundlik)
- **trailer_registration_number** (*str*) – Filtreerib veoselehed, millel on sama haagise registreerimisnumber (tõstutundlik)
- **text** (*str*) – Vabateksti otsing. Toetatud on järgmine süntaks: * ilma jutumärkideta tekst: sõnade vahel rakendatakse loogiline JA. * jutumärkides tekst: otsitakse jutumärkides olevat lauset. * OR: loogiline VÕI operaator sõnade vahel. * -: loogiline EITUS.
- **sort** (*WaybillSortField*) – Sorteerib tulemused valitud välja järgi
- **page** (*int*) – Määrab tagastatava lehekülje
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(PagedResultOfWaybill, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

waybills_post (*start_waybill_request*, ***kwargs*)

Veoselehe loomine # noqa: E501

Loob veoselehe staatusega “vedu alustatud” (status: “shipping”). Veo alustaja peab olema ise märgitud veoselehele kas omanikuks või vedajaks. Toimingu õnnestumisel tagastatakse loodud veoselehe number. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_post(start_waybill_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **start_waybill_request** (*StartWaybillRequest*) – Veoselehe andmed (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns str If the method is called asynchronously, returns the request thread.

waybills_post_with_http_info (*start_waybill_request*, ***kwargs*)

Veoselehe loomine # noqa: E501

Loob veoselehe staatusega “vedu alustatud” (status: “shipping”). Veo alustaja peab olema ise märgitud veoselehele kas omanikuks või vedajaks. Toimingu õnnestumisel tagastatakse loodud veoselehe number. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_post_with_http_info(start_waybill_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **start_waybill_request** (*StartWaybillRequest*) – Veoselehe andmed (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).
- **_return_http_data_only** – response data without head status code and headers
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns tuple(str, status_code(int), headers(HTTPHeaderDict)) If the method is called asynchronously, returns the request thread.

waybills_unload (*number*, *unload_waybill_request*, ***kwargs*)

Veoselehel veo lõpetamine # noqa: E501

Lõpetab veo veoselehel ja veoselehe staatuseks märgitakse “koorem maas” (status: “unloaded”). Vedu saab lõpetada veoselehele märgitud vedaja ja seda ainult “vedu alustatud” (status: shipping) staatuses. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_unload(number, unload_waybill_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **bool** (*async_req*) – execute request asynchronously
- **number** (*str*) – Veoselehe number (required)
- **unload_waybill_request** (*UnloadWaybillRequest*) – (required)
- **evr_language** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väärtused “et” eesti keele ning “en” inglise keele jaoks).

- **`_preload_content`** – if False, the `urllib3.HTTPResponse` object will be returned without reading/decoding response data. Default is True.
- **`_request_timeout`** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

`waybills_unload_with_http_info` (*number*, *unload_waybill_request*, ***kwargs*)

Veoselehel veo lõpetamine # noqa: E501

Lõpetab veo veoselehel ja veoselehe staatuseks märgitakse “koorem maas” (status: “unloaded”). Vedu saab lõpetada veoselehele märgitud vedaja ja seda ainult “vedu alustatud” (status: shipping) staatuses. # noqa: E501 This method makes a synchronous HTTP request by default. To make an asynchronous HTTP request, please pass `async_req=True` >>> `thread = api.waybills_unload_with_http_info(number, unload_waybill_request, async_req=True)` >>> `result = thread.get()`

Parameters

- **`bool`** (*async_req*) – execute request asynchronously
- **`number`** (*str*) – Veoselehe number (required)
- **`unload_waybill_request`** (`UnloadWaybillRequest`) – (required)
- **`evr_language`** (*str*) – Defineerib keele tagastatavatele veateadetele (toetatud on väär- tused “et” eesti keele ning “en” inglise keele jaoks).
- **`_return_http_data_only`** – response data without head status code and headers
- **`_preload_content`** – if False, the `urllib3.HTTPResponse` object will be returned without reading/decoding response data. Default is True.
- **`_request_timeout`** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns None If the method is called asynchronously, returns the request thread.

Module contents

pyevr.openapi_client.models package

Submodules

pyevr.openapi_client.models.add_measurement_act_request module

EVR API

OpenAPI Generator’i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.add_measurement_act_request.AddMeasurementActRequest (act_
mea-
sure-
ment.
cus-
tom_
lo-
cal_v
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

act_number
Gets the act_number of this AddMeasurementActRequest. # noqa: E501
Mõõtmisakti number # noqa: E501
Returns The act_number of this AddMeasurementActRequest. # noqa: E501
Return type str

attribute_map = {'act_number': 'actNumber', 'custom_measurement_data': 'customMeasur

custom_measurement_data
Gets the custom_measurement_data of this AddMeasurementActRequest. # noqa: E501
Mõõtmistulemused vabas formaadis. # noqa: E501
Returns The custom_measurement_data of this AddMeasurementActRequest. # noqa: E501
Return type object

measurements
Gets the measurements of this AddMeasurementActRequest. # noqa: E501
Mõõtmistulemused # noqa: E501
Returns The measurements of this AddMeasurementActRequest. # noqa: E501
Return type list[*ShipmentItem*]

openapi_types = {'act_number': 'str', 'custom_measurement_data': 'object', 'measurem

to_dict ()
Returns the model properties as a dict

to_str ()
Returns the string representation of the model

pyevr.openapi_client.models.add_shipments_to_waybill_request module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.add_shipments_to_waybill_request.AddShipmentsToWaybillRe
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'shipments': 'shipments'}
```

```
openapi_types = {'shipments': 'list[Shipment]'}
```

shipments

Gets the shipments of this AddShipmentsToWaybillRequest. # noqa: E501

Lisatavad veose andmed # noqa: E501

Returns The shipments of this AddShipmentsToWaybillRequest. # noqa: E501

Return type list[[Shipment](#)]

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.address module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.address.Address(country_code=None, county=None,  
                                                    city=None, street=None, local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'city': 'city', 'country_code': 'countryCode', 'county': 'county',
```

city

Gets the city of this Address. # noqa: E501

Linn # noqa: E501

Returns The city of this Address. # noqa: E501

Return type str

country_code

Gets the country_code of this Address. # noqa: E501

Riigi kood # noqa: E501

Returns The country_code of this Address. # noqa: E501

Return type str

county

Gets the county of this Address. # noqa: E501

Maakond # noqa: E501

Returns The county of this Address. # noqa: E501

Return type str

```
openapi_types = {'city': 'str', 'country_code': 'str', 'county': 'str', 'street':
```

```
street
```

Gets the street of this Address. # noqa: E501

Tänav # noqa: E501

Returns The street of this Address. # noqa: E501

Return type str

```
to_dict()
```

Returns the model properties as a dict

```
to_str()
```

Returns the string representation of the model

pyevr.openapi_client.models.assortment module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.assortment.Assortment (code=None,      prod-
                                                    uct_group_code=None,
                                                    name=None,      measure-
                                                    ment_unit_code=None, lo-
                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'code': 'code', 'measurement_unit_code': 'measurementUnitCode', 'na
```

```
code
```

Gets the code of this Assortment. # noqa: E501

Sortimendi kood # noqa: E501

Returns The code of this Assortment. # noqa: E501

Return type str

```
measurement_unit_code
```

Gets the measurement_unit_code of this Assortment. # noqa: E501

Sortimendi mõõtühik # noqa: E501

Returns The measurement_unit_code of this Assortment. # noqa: E501

Return type str

```
name
```

Gets the name of this Assortment. # noqa: E501

Sortimendi nimi # noqa: E501

Returns The name of this Assortment. # noqa: E501

Return type str

openapi_types = {'code': 'str', 'measurement_unit_code': 'str', 'name': 'str', 'pro

product_group_code

Gets the product_group_code of this Assortment. # noqa: E501

Sortimendi tootegrupp # noqa: E501

Returns The product_group_code of this Assortment. # noqa: E501

Return type str

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.authorization_type module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.authorization_type.**AuthorizationType** (*local_vars_configuration=None*)
Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

FORMEASURING = 'forMeasuring'

FORVIEWING = 'forViewing'

allowable_values = ['forViewing', 'forMeasuring']

Attributes:

openapi_types (dict): The key is attribute name and the value is attribute type.

attribute_map (dict): The key is attribute name and the value is json key in definition.

attribute_map = {}

openapi_types = {}

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.cancel_waybill_request module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.cancel_waybill_request.CancelWaybillRequest (reason=None,
                                                                              lo-
                                                                              cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'reason':  'reason'}
```

```
openapi_types = {'reason':  'str'}
```

reason

Gets the reason of this CancelWaybillRequest. # noqa: E501

Selgitus # noqa: E501

Returns The reason of this CancelWaybillRequest. # noqa: E501

Return type str

```
to_dict ()
```

Returns the model properties as a dict

```
to_str ()
```

Returns the string representation of the model

pyevr.openapi_client.models.certificate module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.certificate.Certificate (code=None,
                                                            name=None,          lo-
                                                            cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'code':  'code', 'name':  'name'}
```

code

Gets the code of this Certificate. # noqa: E501

Sertifikaadi kood # noqa: E501

Returns The code of this Certificate. # noqa: E501

Return type str

name

Gets the name of this Certificate. # noqa: E501

Sertifikaadi nimetus # noqa: E501

Returns The name of this Certificate. # noqa: E501

Return type str

openapi_types = {'code': 'str', 'name': 'str'}

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.certificate_claim module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.certificate_claim.CertificateClaim(code=None,  
                                                                    num-  
                                                                    ber=None,  
                                                                    lo-  
                                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'code': 'code', 'number': 'number'}

code

Gets the code of this CertificateClaim. # noqa: E501

Tarneahela sertifikaadi väite kood # noqa: E501

Returns The code of this CertificateClaim. # noqa: E501

Return type str

number

Gets the number of this CertificateClaim. # noqa: E501

Sertifikaadi number # noqa: E501

Returns The number of this CertificateClaim. # noqa: E501

Return type str

openapi_types = {'code': 'str', 'number': 'str'}

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.consolidated_act module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```

class pyevr.openapi_client.models.consolidated_act.ConsolidatedAct (contract_number=None,
                                                                    con-
                                                                    tract_date=None,
                                                                    cadaster=None,
                                                                    compart-
                                                                    ment=None,
                                                                    for-
                                                                    est_allocation_number=None,
                                                                    lo-
                                                                    cal_vars_configuration=None)

```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'contract_date': 'contract_date'}

cadaster

Gets the cadaster of this ConsolidatedAct. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this ConsolidatedAct. # noqa: E501

Return type str

compartment

Gets the compartment of this ConsolidatedAct. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this ConsolidatedAct. # noqa: E501

Return type str

contract_date

Gets the contract_date of this ConsolidatedAct. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this ConsolidatedAct. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this ConsolidatedAct. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this ConsolidatedAct. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this ConsolidatedAct. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this ConsolidatedAct. # noqa: E501

Return type str

openapi_types = {'cadaster': 'str', 'compartment': 'str', 'contract_date': 'datetime'

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.consolidated_act_all_of module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.consolidated_act_all_of.ConsolidatedActAllOf(contract_number=contract_number,
                                     contract_date=contract_date,
                                     cadaster=cadaster,
                                     compartment=compartment,
                                     forest_allocation_number=forest_allocation_number,
                                     local_vars_configuration=local_vars_configuration)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'contract_date': 'contract_date'}

cadaster

Gets the cadaster of this ConsolidatedActAllOf. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this ConsolidatedActAllOf. # noqa: E501

Return type str

compartment

Gets the compartment of this ConsolidatedActAllOf. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this ConsolidatedActAllOf. # noqa: E501

Return type str

contract_date

Gets the contract_date of this ConsolidatedActAllOf. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this ConsolidatedActAllOf. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this ConsolidatedActAllOf. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this ConsolidatedActAllOf. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this ConsolidatedActAllOf. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this ConsolidatedActAllOf. # noqa: E501

Return type str

openapi_types = {'cadaster': 'str', 'compartment': 'str', 'contract_date': 'datetime'}

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.contact_person module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.contact_person.ContactPerson (name=None,
                                                             phone=None,
                                                             email=None, local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'email': 'email', 'name': 'name', 'phone': 'phone'}

email

Gets the email of this ContactPerson. # noqa: E501

Email # noqa: E501

Returns The email of this ContactPerson. # noqa: E501

Return type str

name
Gets the name of this ContactPerson. # noqa: E501
Nimi # noqa: E501
Returns The name of this ContactPerson. # noqa: E501
Return type str

openapi_types = {'email': 'str', 'name': 'str', 'phone': 'str'}

phone
Gets the phone of this ContactPerson. # noqa: E501
Telefoninumber # noqa: E501
Returns The phone of this ContactPerson. # noqa: E501
Return type str

to_dict()
Returns the model properties as a dict

to_str()
Returns the string representation of the model

pyevr.openapi_client.models.contract_for_transfer_of_cutting_rights module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.contract_for_transfer_of_cutting_rights.ContractForTrans

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'contract_data': 'contract_data'}

cadaster

Gets the cadaster of this ContractForTransferOfCuttingRights. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this ContractForTransferOfCuttingRights. # noqa: E501

Return type str

compartment

Gets the compartment of this ContractForTransferOfCuttingRights. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this ContractForTransferOfCuttingRights. # noqa: E501

Return type str

contract_date

Gets the contract_date of this ContractForTransferOfCuttingRights. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this ContractForTransferOfCuttingRights. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this ContractForTransferOfCuttingRights. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this ContractForTransferOfCuttingRights. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this ContractForTransferOfCuttingRights. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this ContractForTransferOfCuttingRights. # noqa: E501

Return type str

openapi_types = {'cadaster': 'str', 'compartment': 'str', 'contract_date': 'datetime'}

previous_owner

Gets the previous_owner of this ContractForTransferOfCuttingRights. # noqa: E501

Returns The previous_owner of this ContractForTransferOfCuttingRights. # noqa: E501

Return type *PreviousOwner*

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.coordinates module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.coordinates.Coordinates(x=None, y=None, local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'x': 'x', 'y': 'y'}
```

```
openapi_types = {'x': 'float', 'y': 'float'}
```

```
to_dict()
```

Returns the model properties as a dict

```
to_str()
```

Returns the string representation of the model

x

Gets the x of this Coordinates. # noqa: E501

X koordinaat # noqa: E501

Returns The x of this Coordinates. # noqa: E501

Return type float

y

Gets the y of this Coordinates. # noqa: E501

Y koordinaat # noqa: E501

Returns The y of this Coordinates. # noqa: E501

Return type float

pyevr.openapi_client.models.forest_act module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.forest_act.ForestAct(contract_number=None,  
                                                    contract_date=None,  
                                                    cadaster=None, compartment=None,  
                                                    forest_allocation_number=None,  
                                                    local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'contract_date': 'contract_date'}
```

```
cadaster
```

Gets the cadaster of this ForestAct. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this ForestAct. # noqa: E501

Return type str

compartment

Gets the compartment of this ForestAct. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this ForestAct. # noqa: E501

Return type str

contract_date

Gets the contract_date of this ForestAct. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this ForestAct. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this ForestAct. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this ForestAct. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this ForestAct. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this ForestAct. # noqa: E501

Return type str

openapi_types = {'cadaster': 'str', 'compartment': 'str', 'contract_date': 'datetime'}

to_dict ()

Returns the model properties as a dict

to_str ()

Returns the string representation of the model

pyevr.openapi_client.models.forest_notice module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.forest_notice.ForestNotice(cadaster=None,
                                                             compartment=None, forest_allocation_number=None,
                                                             number=None, local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'forest_alloc
```

```
cadaster
```

Gets the cadaster of this ForestNotice. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this ForestNotice. # noqa: E501

Return type str

```
compartment
```

Gets the compartment of this ForestNotice. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this ForestNotice. # noqa: E501

Return type str

```
forest_allocation_number
```

Gets the forest_allocation_number of this ForestNotice. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this ForestNotice. # noqa: E501

Return type str

```
number
```

Gets the number of this ForestNotice. # noqa: E501

Metsateatise number # noqa: E501

Returns The number of this ForestNotice. # noqa: E501

Return type str

```
openapi_types = {'cadaster': 'str', 'compartment': 'str', 'forest_allocation_number'
```

```
to_dict ()
```

Returns the model properties as a dict

```
to_str ()
```

Returns the string representation of the model

pyevr.openapi_client.models.forest_notice_all_of module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```

class pyevr.openapi_client.models.forest_notice_all_of.ForestNoticeAllOf (cadaster=None,
                                                                    com-
                                                                    part-
                                                                    ment=None,
                                                                    for-
                                                                    est_allocation_number=None,
                                                                    num-
                                                                    ber=None,
                                                                    lo-
                                                                    cal_vars_configuration=None)

```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'forest_allocation_number': 'forest_allocation_number'}
```

cadaster

Gets the cadaster of this ForestNoticeAllOf. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this ForestNoticeAllOf. # noqa: E501

Return type str

compartment

Gets the compartment of this ForestNoticeAllOf. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this ForestNoticeAllOf. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this ForestNoticeAllOf. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this ForestNoticeAllOf. # noqa: E501

Return type str

number

Gets the number of this ForestNoticeAllOf. # noqa: E501

Metsateatise number # noqa: E501

Returns The number of this ForestNoticeAllOf. # noqa: E501

Return type str

```
openapi_types = {'cadaster': 'str', 'compartment': 'str', 'forest_allocation_number': 'str'}
```

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.holding_base module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.holding_base.HoldingBase(type=None, local_vars_configuration=None)

    Bases: object

    NOTE: This class is auto generated by OpenAPI Generator. Ref: https://openapi-generator.tech

    Do not edit the class manually.

    attribute_map = {'type': 'type'}

    discriminator_value_class_map = {'ConsolidatedAct': 'ConsolidatedAct', 'ContractForTr

    get_real_child_model(data)
        Returns the real base class specified by the discriminator

    openapi_types = {'type': 'str'}

    to_dict()
        Returns the model properties as a dict

    to_str()
        Returns the string representation of the model

    type
        Gets the type of this HoldingBase. # noqa: E501

        Returns The type of this HoldingBase. # noqa: E501

        Return type str
```

pyevr.openapi_client.models.inventory_act module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.inventory_act.InventoryAct(contract_number=None,
    contract_date=None,
    cadaster=None,
    compartment=None, for-
    est_allocation_number=None,
    local_vars_configuration=None)

    Bases: object

    NOTE: This class is auto generated by OpenAPI Generator. Ref: https://openapi-generator.tech

    Do not edit the class manually.
```

```
attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'contract_date': 'contract_date'}
```

cadaster

Gets the cadaster of this InventoryAct. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this InventoryAct. # noqa: E501

Return type str

compartment

Gets the compartment of this InventoryAct. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this InventoryAct. # noqa: E501

Return type str

contract_date

Gets the contract_date of this InventoryAct. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this InventoryAct. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this InventoryAct. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this InventoryAct. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this InventoryAct. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this InventoryAct. # noqa: E501

Return type str

```
openapi_types = {'cadaster': 'str', 'compartment': 'str', 'contract_date': 'datetime'}
```

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.inventory_act_all_of module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.inventory_act_all_of.InventoryActAllOf (contract_number=None,
                                                                    con-
                                                                    tract_date=None,
                                                                    cadaster=None,
                                                                    com-
                                                                    part-
                                                                    ment=None,
                                                                    for-
                                                                    est_allocation_number=None,
                                                                    lo-
                                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'cadaster':  'cadaster', 'compartment':  'compartment', 'contract_date':  'contract_date'}
```

cadaster

Gets the cadaster of this InventoryActAllOf. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this InventoryActAllOf. # noqa: E501

Return type str

compartment

Gets the compartment of this InventoryActAllOf. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this InventoryActAllOf. # noqa: E501

Return type str

contract_date

Gets the contract_date of this InventoryActAllOf. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this InventoryActAllOf. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this InventoryActAllOf. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this InventoryActAllOf. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this InventoryActAllOf. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this InventoryActAllOf. # noqa: E501

Return type str

```
openapi_types = {'cadaster':  'str', 'compartment':  'str', 'contract_date':  'datetime', 'forest_allocation_number':  'str'}
```

```

to_dict()
    Returns the model properties as a dict

to_str()
    Returns the string representation of the model

```

pyevr.openapi_client.models.measurement_act module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```

class pyevr.openapi_client.models.measurement_act.MeasurementAct (act_number=None,
                                                                    measure-
                                                                    ments=None,
                                                                    cus-
                                                                    tom_measurement_data=None,
                                                                    mea-
                                                                    surer_code=None,
                                                                    cre-
                                                                    ation_time=None,
                                                                    lo-
                                                                    cal_vars_configuration=None)

```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```

act_number
    Gets the act_number of this MeasurementAct. # noqa: E501

    Mõõtmisakti number # noqa: E501

    Returns The act_number of this MeasurementAct. # noqa: E501

    Return type str

```

```

attribute_map = {'act_number': 'actNumber', 'creation_time': 'creationTime', 'custom_

```

```

creation_time
    Gets the creation_time of this MeasurementAct. # noqa: E501

    Lisamise aeg # noqa: E501

    Returns The creation_time of this MeasurementAct. # noqa: E501

    Return type datetime

```

```

custom_measurement_data
    Gets the custom_measurement_data of this MeasurementAct. # noqa: E501

    Mõõtmistulemused vabas formaadis # noqa: E501

    Returns The custom_measurement_data of this MeasurementAct. # noqa: E501

    Return type object

```

measurements

Gets the measurements of this MeasurementAct. # noqa: E501

Mõõtmistulemused EVR poolt sätestatud formaadis # noqa: E501

Returns The measurements of this MeasurementAct. # noqa: E501

Return type list[*ShipmentItem*]

measurer_code

Gets the measurer_code of this MeasurementAct. # noqa: E501

Mõõtja registri kood # noqa: E501

Returns The measurer_code of this MeasurementAct. # noqa: E501

Return type str

openapi_types = {'act_number': 'str', 'creation_time': 'datetime', 'custom_measureme

to_dict ()

Returns the model properties as a dict

to_str ()

Returns the string representation of the model

pyevr.openapi_client.models.measurement_unit module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.measurement_unit.MeasurementUnit (code=None,  
                                                                    name=None,  
                                                                    lo-  
                                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'code': 'code', 'name': 'name'}

code

Gets the code of this MeasurementUnit. # noqa: E501

Mõõtühiku kood # noqa: E501

Returns The code of this MeasurementUnit. # noqa: E501

Return type str

name

Gets the name of this MeasurementUnit. # noqa: E501

Mõõtühiku nimetus # noqa: E501

Returns The name of this MeasurementUnit. # noqa: E501

Return type str

openapi_types = {'code': 'str', 'name': 'str'}

to_dict()
Returns the model properties as a dict

to_str()
Returns the string representation of the model

pyevr.openapi_client.models.organization module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.organization.Organization(name=None, register_code=None, address=None, email=None, phone=None, contact_persons=None, local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this Organization. # noqa: E501

Returns The address of this Organization. # noqa: E501

Return type *Address*

```
attribute_map = {'address': 'address', 'contact_persons': 'contactPersons', 'email':
```

contact_persons

Gets the contact_persons of this Organization. # noqa: E501

Kontaktisikud # noqa: E501

Returns The contact_persons of this Organization. # noqa: E501

Return type list[*ContactPerson*]

email

Gets the email of this Organization. # noqa: E501

Asutuse üldemail # noqa: E501

Returns The email of this Organization. # noqa: E501

Return type str

name

Gets the name of this Organization. # noqa: E501

Asutuse nimi # noqa: E501

Returns The name of this Organization. # noqa: E501

Return type str

openapi_types = {'address': 'Address', 'contact_persons': 'list[ContactPerson]', 'em
phone
Gets the phone of this Organization. # noqa: E501
Asutuse üldtelefon # noqa: E501
Returns The phone of this Organization. # noqa: E501
Return type str
register_code
Gets the register_code of this Organization. # noqa: E501
Registrikood # noqa: E501
Returns The register_code of this Organization. # noqa: E501
Return type str
to_dict()
Returns the model properties as a dict
to_str()
Returns the string representation of the model

pyevr.openapi_client.models.owner module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.owner.Owner(name=None, code=None,  
                                              email=None, address=None, con-  
                                              tact_person=None, representer=None,  
                                              local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this Owner. # noqa: E501

Returns The address of this Owner. # noqa: E501

Return type *Address*

attribute_map = {'address': 'address', 'code': 'code', 'contact_person': 'contactPe

code

Gets the code of this Owner. # noqa: E501

Isiku- või registrikood # noqa: E501

Returns The code of this Owner. # noqa: E501

Return type str

contact_person

Gets the contact_person of this Owner. # noqa: E501

Returns The contact_person of this Owner. # noqa: E501

Return type *ContactPerson*

email

Gets the email of this Owner. # noqa: E501

Email # noqa: E501

Returns The email of this Owner. # noqa: E501

Return type str

name

Gets the name of this Owner. # noqa: E501

Nimi # noqa: E501

Returns The name of this Owner. # noqa: E501

Return type str

openapi_types = {'address': 'Address', 'code': 'str', 'contact_person': 'ContactPer

representer

Gets the representer of this Owner. # noqa: E501

Returns The representer of this Owner. # noqa: E501

Return type *Representer*

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.pack module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.pack.Pack(pack_number=None,          length=None,
                                             height=None,          width=None,          coef-
                                             ficient=None,          location=None,          lo-
                                             cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'coefficient': 'coefficient', 'height': 'height', 'length': 'length'}

coefficient

Gets the coefficient of this Pack. # noqa: E501

Koeffitsient # noqa: E501

Returns The coefficient of this Pack. # noqa: E501

Return type float

height

Gets the height of this Pack. # noqa: E501

Koosmapaki kõrgus # noqa: E501

Returns The height of this Pack. # noqa: E501

Return type float

length

Gets the length of this Pack. # noqa: E501

Koormapaki pikkus # noqa: E501

Returns The length of this Pack. # noqa: E501

Return type float

location

Gets the location of this Pack. # noqa: E501

Returns The location of this Pack. # noqa: E501

Return type *PackLocation*

openapi_types = {'coefficient': 'float', 'height': 'float', 'length': 'float', 'loc

pack_number

Gets the pack_number of this Pack. # noqa: E501

Paki number # noqa: E501

Returns The pack_number of this Pack. # noqa: E501

Return type int

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

width

Gets the width of this Pack. # noqa: E501

Koormapaki laius # noqa: E501

Returns The width of this Pack. # noqa: E501

Return type float

pyevr.openapi_client.models.pack_location module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.pack_location.**PackLocation**(local_vars_configuration=None)
Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
TRAILER = 'trailer'
```

```
VAN = 'van'
```

```
allowable_values = ['van', 'trailer']
```

Attributes:

openapi_types (dict): The key is attribute name and the value is attribute type.

attribute_map (dict): The key is attribute name and the value is json key in definition.

```
attribute_map = {}
```

```
openapi_types = {}
```

```
to_dict()
```

Returns the model properties as a dict

```
to_str()
```

Returns the string representation of the model

pyevr.openapi_client.models.paged_result_of_assortment module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.paged_result_of_assortment.PagedResultOfAssortment (page_nu
    page_si
    page_re
    to-
    tal_coun
    lo-
    cal_var:
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'page_number': 'pageNumber', 'page_result': 'pageResult', 'page_size
```

```
openapi_types = {'page_number': 'int', 'page_result': 'list[Assortment]', 'page_size
```

```
page_number
```

Gets the page_number of this PagedResultOfAssortment. # noqa: E501

Returns The page_number of this PagedResultOfAssortment. # noqa: E501

Return type int

```
page_result
```

Gets the page_result of this PagedResultOfAssortment. # noqa: E501

Returns The page_result of this PagedResultOfAssortment. # noqa: E501

Return type list[Assortment]

```
page_size
```

Gets the page_size of this PagedResultOfAssortment. # noqa: E501

Returns The page_size of this PagedResultOfAssortment. # noqa: E501

Return type int

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

total_count

Gets the total_count of this PagedResultOfAssortment. # noqa: E501

Returns The total_count of this PagedResultOfAssortment. # noqa: E501

Return type int

pyevr.openapi_client.models.paged_result_of_certificate module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.paged_result_of_certificate.PagedResultOfCertificate (page.  
page.  
page.  
to-  
tal_c  
lo-  
cal_v
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'page_number': 'pageNumber', 'page_result': 'pageResult', 'page_size': 'page_size'}

openapi_types = {'page_number': 'int', 'page_result': 'list[Certificate]', 'page_size': 'int'}

page_number

Gets the page_number of this PagedResultOfCertificate. # noqa: E501

Returns The page_number of this PagedResultOfCertificate. # noqa: E501

Return type int

page_result

Gets the page_result of this PagedResultOfCertificate. # noqa: E501

Returns The page_result of this PagedResultOfCertificate. # noqa: E501

Return type list[Certificate]

page_size

Gets the page_size of this PagedResultOfCertificate. # noqa: E501

Returns The page_size of this PagedResultOfCertificate. # noqa: E501

Return type int

to_dict()
Returns the model properties as a dict

to_str()
Returns the string representation of the model

total_count
Gets the total_count of this PagedResultOfCertificate. # noqa: E501

Returns The total_count of this PagedResultOfCertificate. # noqa: E501

Return type int

pyevr.openapi_client.models.paged_result_of_measurement_act module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.paged_result_of_measurement_act.PagedResultOfMeasurementAct

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'page_number': 'pageNumber', 'page_result': 'pageResult', 'page_size': 'pageSize'}

openapi_types = {'page_number': 'int', 'page_result': 'list[MeasurementAct]', 'page_size': 'int'}

page_number

Gets the page_number of this PagedResultOfMeasurementAct. # noqa: E501

Returns The page_number of this PagedResultOfMeasurementAct. # noqa: E501

Return type int

page_result

Gets the page_result of this PagedResultOfMeasurementAct. # noqa: E501

Returns The page_result of this PagedResultOfMeasurementAct. # noqa: E501

Return type list[*MeasurementAct*]

page_size

Gets the page_size of this PagedResultOfMeasurementAct. # noqa: E501

Returns The page_size of this PagedResultOfMeasurementAct. # noqa: E501

Return type int

to_dict()
Returns the model properties as a dict

to_str()

Returns the string representation of the model

total_count

Gets the total_count of this PagedResultOfMeasurementAct. # noqa: E501

Returns The total_count of this PagedResultOfMeasurementAct. # noqa: E501

Return type int

pyevr.openapi_client.models.paged_result_of_measurement_unit module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.paged_result_of_measurement_unit.**PagedResultOfMeasurementUnit**

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'page_number': 'pageNumber', 'page_result': 'pageResult', 'page_size': 'pageSize'}

openapi_types = {'page_number': 'int', 'page_result': 'list[MeasurementUnit]', 'page_size': 'int'}

page_number

Gets the page_number of this PagedResultOfMeasurementUnit. # noqa: E501

Returns The page_number of this PagedResultOfMeasurementUnit. # noqa: E501

Return type int

page_result

Gets the page_result of this PagedResultOfMeasurementUnit. # noqa: E501

Returns The page_result of this PagedResultOfMeasurementUnit. # noqa: E501

Return type list[*MeasurementUnit*]

page_size

Gets the page_size of this PagedResultOfMeasurementUnit. # noqa: E501

Returns The page_size of this PagedResultOfMeasurementUnit. # noqa: E501

Return type int

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

total_count

Gets the total_count of this PagedResultOfMeasurementUnit. # noqa: E501

Returns The total_count of this PagedResultOfMeasurementUnit. # noqa: E501

Return type int

pyevr.openapi_client.models.paged_result_of_organization module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.paged_result_of_organization.**PagedResultOfOrganization** (pa

pa
pa
to
ta
lo
ca

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'page_number': 'pageNumber', 'page_result': 'pageResult', 'page_size': 'page_size'}

openapi_types = {'page_number': 'int', 'page_result': 'list[Organization]', 'page_size': 'int'}

page_number

Gets the page_number of this PagedResultOfOrganization. # noqa: E501

Returns The page_number of this PagedResultOfOrganization. # noqa: E501

Return type int

page_result

Gets the page_result of this PagedResultOfOrganization. # noqa: E501

Returns The page_result of this PagedResultOfOrganization. # noqa: E501

Return type list[*Organization*]

page_size

Gets the page_size of this PagedResultOfOrganization. # noqa: E501

Returns The page_size of this PagedResultOfOrganization. # noqa: E501

Return type int

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

total_count

Gets the total_count of this PagedResultOfOrganization. # noqa: E501

Returns The total_count of this PagedResultOfOrganization. # noqa: E501

Return type int

pyevr.openapi_client.models.paged_result_of_place_of_delivery module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.paged_result_of_place_of_delivery.PagedResultOfPlaceOfDe

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'page_number': 'pageNumber', 'page_result': 'pageResult', 'page_size

openapi_types = {'page_number': 'int', 'page_result': 'list[PlaceOfDelivery]', 'page

page_number

Gets the page_number of this PagedResultOfPlaceOfDelivery. # noqa: E501

Returns The page_number of this PagedResultOfPlaceOfDelivery. # noqa: E501

Return type int

page_result

Gets the page_result of this PagedResultOfPlaceOfDelivery. # noqa: E501

Returns The page_result of this PagedResultOfPlaceOfDelivery. # noqa: E501

Return type list[*PlaceOfDelivery*]

page_size

Gets the page_size of this PagedResultOfPlaceOfDelivery. # noqa: E501

Returns The page_size of this PagedResultOfPlaceOfDelivery. # noqa: E501

Return type int

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

total_count

Gets the total_count of this PagedResultOfPlaceOfDelivery. # noqa: E501

Returns The total_count of this PagedResultOfPlaceOfDelivery. # noqa: E501

Return type int

pyevr.openapi_client.models.paged_result_of_waybill module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.paged_result_of_waybill.PagedResultOfWaybill (page_number=None,
                                     page_size=None,
                                     page_result=None,
                                     to-
                                     tal_count=None,
                                     lo-
                                     cal_vars_config=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'page_number':  'pageNumber', 'page_result':  'pageResult', 'page_size':  'pageSize'}
```

```
openapi_types = {'page_number':  'int', 'page_result':  'list[Waybill]', 'page_size':  'int'}
```

page_number

Gets the page_number of this PagedResultOfWaybill. # noqa: E501

Returns The page_number of this PagedResultOfWaybill. # noqa: E501

Return type int

page_result

Gets the page_result of this PagedResultOfWaybill. # noqa: E501

Returns The page_result of this PagedResultOfWaybill. # noqa: E501

Return type list[Waybill]

page_size

Gets the page_size of this PagedResultOfWaybill. # noqa: E501

Returns The page_size of this PagedResultOfWaybill. # noqa: E501

Return type int

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

total_count

Gets the total_count of this PagedResultOfWaybill. # noqa: E501

Returns The total_count of this PagedResultOfWaybill. # noqa: E501

Return type int

pyevr.openapi_client.models.place_of_delivery module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery(name=None,
                                                                    code=None,
                                                                    regis-
                                                                    ter_code=None,
                                                                    ad-
                                                                    dress=None,
                                                                    near_address=None,
                                                                    coordi-
                                                                    nates=None,
                                                                    open_times=None,
                                                                    is_public=None,
                                                                    is_active=None,
                                                                    pre-
                                                                    ferred_certificates=None,
                                                                    con-
                                                                    tact_person=None,
                                                                    way-
                                                                    bill_authorizations=None,
                                                                    descrip-
                                                                    tion=None,
                                                                    user_custom_data=None,
                                                                    lo-
                                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this PlaceOfDelivery. # noqa: E501

Returns The address of this PlaceOfDelivery. # noqa: E501

Return type *Address*

```
attribute_map = {'address': 'address', 'code': 'code', 'contact_person': 'contactPe
```

code

Gets the code of this PlaceOfDelivery. # noqa: E501

Tarnekohta kood # noqa: E501

Returns The code of this PlaceOfDelivery. # noqa: E501

Return type str

contact_person

Gets the contact_person of this PlaceOfDelivery. # noqa: E501

Returns The contact_person of this PlaceOfDelivery. # noqa: E501

Return type *ContactPerson*

coordinates

Gets the coordinates of this PlaceOfDelivery. # noqa: E501

Returns The coordinates of this PlaceOfDelivery. # noqa: E501

Return type *Coordinates*

description

Gets the description of this PlaceOfDelivery. # noqa: E501

Märkused # noqa: E501

Returns The description of this PlaceOfDelivery. # noqa: E501

Return type str

is_active

Gets the is_active of this PlaceOfDelivery. # noqa: E501

Kas on aktiivne # noqa: E501

Returns The is_active of this PlaceOfDelivery. # noqa: E501

Return type bool

is_public

Gets the is_public of this PlaceOfDelivery. # noqa: E501

Kas on avalik # noqa: E501

Returns The is_public of this PlaceOfDelivery. # noqa: E501

Return type bool

name

Gets the name of this PlaceOfDelivery. # noqa: E501

Tarnekoha nimi # noqa: E501

Returns The name of this PlaceOfDelivery. # noqa: E501

Return type str

near_address

Gets the near_address of this PlaceOfDelivery. # noqa: E501

Lähiaadress # noqa: E501

Returns The near_address of this PlaceOfDelivery. # noqa: E501

Return type str

open_times

Gets the open_times of this PlaceOfDelivery. # noqa: E501

Millal avatud # noqa: E501

Returns The open_times of this PlaceOfDelivery. # noqa: E501

Return type list[str]

openapi_types = {'address': 'Address', 'code': 'str', 'contact_person': 'ContactPer

preferred_certificates

Gets the preferred_certificates of this PlaceOfDelivery. # noqa: E501

Eelistatud sertifikaadid # noqa: E501

Returns The preferred_certificates of this PlaceOfDelivery. # noqa: E501

Return type list[str]

register_code

Gets the register_code of this PlaceOfDelivery. # noqa: E501

Registrikood # noqa: E501

Returns The register_code of this PlaceOfDelivery. # noqa: E501

Return type str

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

user_custom_data

Gets the user_custom_data of this PlaceOfDelivery. # noqa: E501

Api kasutaja poolt kohandatavad andmed # noqa: E501

Returns The user_custom_data of this PlaceOfDelivery. # noqa: E501

Return type object

waybill_authorizations

Gets the waybill_authorizations of this PlaceOfDelivery. # noqa: E501

Volitused # noqa: E501

Returns The waybill_authorizations of this PlaceOfDelivery. # noqa: E501

Return type list[[WaybillAuthorization](#)]

pyevr.openapi_client.models.previous_owner module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.previous_owner.PreviousOwner(name=None,  
                                                             code=None, ad-  
                                                             dress=None, lo-  
                                                             cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this PreviousOwner. # noqa: E501

Aadress # noqa: E501

Returns The address of this PreviousOwner. # noqa: E501

Return type str

```
attribute_map = {'address': 'address', 'code': 'code', 'name': 'name'}
```

code

Gets the code of this PreviousOwner. # noqa: E501

Isiku- või registrikood # noqa: E501

Returns The code of this PreviousOwner. # noqa: E501

Return type str

name

Gets the name of this PreviousOwner. # noqa: E501

Nimi # noqa: E501

Returns The name of this PreviousOwner. # noqa: E501

Return type str

openapi_types = {'address': 'str', 'code': 'str', 'name': 'str'}

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.problem_details module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.problem_details.ProblemDetails (type=None,
                                                                    title=None,
                                                                    status=None,
                                                                    detail=None,
                                                                    in-
                                                                    stance=None,
                                                                    lo-
                                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'detail': 'detail', 'instance': 'instance', 'status': 'status', 't

detail

Gets the detail of this ProblemDetails. # noqa: E501

Returns The detail of this ProblemDetails. # noqa: E501

Return type str

instance

Gets the instance of this ProblemDetails. # noqa: E501

Returns The instance of this ProblemDetails. # noqa: E501

Return type str

```
openapi_types = {'detail': 'str', 'instance': 'str', 'status': 'int', 'title': 'st
```

status

Gets the status of this ProblemDetails. # noqa: E501

Returns The status of this ProblemDetails. # noqa: E501

Return type int

title

Gets the title of this ProblemDetails. # noqa: E501

Returns The title of this ProblemDetails. # noqa: E501

Return type str

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

type

Gets the type of this ProblemDetails. # noqa: E501

Returns The type of this ProblemDetails. # noqa: E501

Return type str

pyevr.openapi_client.models.put_place_of_delivery_request module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>


```
class pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest (
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this PutPlaceOfDeliveryRequest. # noqa: E501

Returns The address of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type *Address*

attribute_map = {'address': 'address', 'contact_person': 'contactPerson', 'coordinates': 'coordinates'}

contact_person

Gets the contact_person of this PutPlaceOfDeliveryRequest. # noqa: E501

Returns The contact_person of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type *ContactPerson*

coordinates

Gets the coordinates of this PutPlaceOfDeliveryRequest. # noqa: E501

Returns The coordinates of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type *Coordinates*

description

Gets the description of this PutPlaceOfDeliveryRequest. # noqa: E501

Märkused # noqa: E501

Returns The description of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type str

is_active

Gets the is_active of this PutPlaceOfDeliveryRequest. # noqa: E501

Kas on aktiivne # noqa: E501

Returns The is_active of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type bool

is_public

Gets the is_public of this PutPlaceOfDeliveryRequest. # noqa: E501

Kas on avalik (avalikke ladusid näevad ka teised asutused) # noqa: E501

Returns The is_public of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type bool

name

Gets the name of this PutPlaceOfDeliveryRequest. # noqa: E501

Nimi # noqa: E501

Returns The name of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type str

near_address

Gets the near_address of this PutPlaceOfDeliveryRequest. # noqa: E501

Lähiaadress # noqa: E501

Returns The near_address of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type str

open_times

Gets the open_times of this PutPlaceOfDeliveryRequest. # noqa: E501

Millal avatud # noqa: E501

Returns The open_times of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type list[str]

openapi_types = {'address': 'Address', 'contact_person': 'ContactPerson', 'coordinates': 'Coordinates'}

preferred_certificates

Gets the preferred_certificates of this PutPlaceOfDeliveryRequest. # noqa: E501

Eelistatud sertifikaadid # noqa: E501

Returns The preferred_certificates of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type list[str]

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

user_custom_data

Gets the user_custom_data of this PutPlaceOfDeliveryRequest. # noqa: E501

Api kasutaja poolt kohandatavad andmed # noqa: E501

Returns The user_custom_data of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type object

waybill_authorizations

Gets the waybill_authorizations of this PutPlaceOfDeliveryRequest. # noqa: E501

Volitatud mõõtmise ja vaatluse # noqa: E501

Returns The waybill_authorizations of this PutPlaceOfDeliveryRequest. # noqa: E501

Return type list[[WaybillAuthorization](#)]

pyevr.openapi_client.models.receiver module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.receiver.Receiver (name=None,          code=None,
                                                    address=None,          con-
                                                    tact_person=None,          lo-
                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this Receiver. # noqa: E501

Returns The address of this Receiver. # noqa: E501

Return type [Address](#)

```
attribute_map = {'address':  'address', 'code':  'code', 'contact_person':  'contactPe
```

code

Gets the code of this Receiver. # noqa: E501

Isiku- või registrikood # noqa: E501

Returns The code of this Receiver. # noqa: E501

Return type str

contact_person

Gets the contact_person of this Receiver. # noqa: E501

Returns The contact_person of this Receiver. # noqa: E501

Return type [ContactPerson](#)

name

Gets the name of this Receiver. # noqa: E501

Nimi # noqa: E501

Returns The name of this Receiver. # noqa: E501

Return type str

```
openapi_types = {'address':  'Address', 'code':  'str', 'contact_person':  'ContactPer
```

to_dict()

Returns the model properties as a dict

`to_str()`
Returns the string representation of the model

pyevr.openapi_client.models.representer module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.representer.Representer(name=None,  
                                                         code=None,           ad-  
                                                         dress=None,  
                                                         right_of_representation=None,  
                                                         email=None,  
                                                         phone=None,           lo-  
                                                         cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this Representer. # noqa: E501

Returns The address of this Representer. # noqa: E501

Return type [Address](#)

```
attribute_map = {'address': 'address', 'code': 'code', 'email': 'email', 'name': 'name'}
```

code

Gets the code of this Representer. # noqa: E501

Isiku- või registrikood # noqa: E501

Returns The code of this Representer. # noqa: E501

Return type str

email

Gets the email of this Representer. # noqa: E501

Email # noqa: E501

Returns The email of this Representer. # noqa: E501

Return type str

name

Gets the name of this Representer. # noqa: E501

Nimi # noqa: E501

Returns The name of this Representer. # noqa: E501

Return type str

```
openapi_types = {'address': 'Address', 'code': 'str', 'email': 'str', 'name': 'str'}
```

phone

Gets the phone of this Representer. # noqa: E501

Telefoninumber # noqa: E501

Returns The phone of this Representer. # noqa: E501

Return type str

right_of_representation

Gets the right_of_representation of this Representer. # noqa: E501

Esindusõiguse alus # noqa: E501

Returns The right_of_representation of this Representer. # noqa: E501

Return type str

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.sales_contract module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.sales_contract.SalesContract (contract_number=None,
                                                                con-
                                                                tract_date=None,
                                                                cadaster=None,
                                                                compart-
                                                                ment=None, for-
                                                                est_allocation_number=None,
                                                                previ-
                                                                ous_owner=None,
                                                                lo-
                                                                cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'contract_data': 'contract_data'}
```

cadaster

Gets the cadaster of this SalesContract. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this SalesContract. # noqa: E501

Return type str

compartment

Gets the compartment of this SalesContract. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this SalesContract. # noqa: E501

Return type str

contract_date

Gets the contract_date of this SalesContract. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this SalesContract. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this SalesContract. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this SalesContract. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this SalesContract. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this SalesContract. # noqa: E501

Return type str

openapi_types = {'cadaster': 'str', 'compartment': 'str', 'contract_date': 'datetime'}

previous_owner

Gets the previous_owner of this SalesContract. # noqa: E501

Returns The previous_owner of this SalesContract. # noqa: E501

Return type *PreviousOwner*

to_dict ()

Returns the model properties as a dict

to_str ()

Returns the string representation of the model

pyevr.openapi_client.models.sales_contract_all_of module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```

class pyevr.openapi_client.models.sales_contract_all_of.SalesContractAllOf (contract_number=None,
                                     contract_date=None,
                                     cadaster=None,
                                     compartment=None,
                                     forest_allocation_number=None,
                                     pre_vious_owner=None,
                                     local_vars_configuration=None)

```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```

attribute_map = {'cadaster': 'cadaster', 'compartment': 'compartment', 'contract_date': 'contract_date'}

```

cadaster

Gets the cadaster of this SalesContractAllOf. # noqa: E501

Katastritunnus # noqa: E501

Returns The cadaster of this SalesContractAllOf. # noqa: E501

Return type str

compartment

Gets the compartment of this SalesContractAllOf. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this SalesContractAllOf. # noqa: E501

Return type str

contract_date

Gets the contract_date of this SalesContractAllOf. # noqa: E501

Dokumendi kuupäev # noqa: E501

Returns The contract_date of this SalesContractAllOf. # noqa: E501

Return type datetime

contract_number

Gets the contract_number of this SalesContractAllOf. # noqa: E501

Dokumendi number # noqa: E501

Returns The contract_number of this SalesContractAllOf. # noqa: E501

Return type str

forest_allocation_number

Gets the forest_allocation_number of this SalesContractAllOf. # noqa: E501

Metsaeraldis # noqa: E501

Returns The forest_allocation_number of this SalesContractAllOf. # noqa: E501

Return type str

```
openapi_types = {'cadaster': 'str', 'compartment': 'str', 'contract_date': 'datetime'}

previous_owner
    Gets the previous_owner of this SalesContractAllOf. # noqa: E501

    Returns The previous_owner of this SalesContractAllOf. # noqa: E501

    Return type PreviousOwner

to_dict()
    Returns the model properties as a dict

to_str()
    Returns the string representation of the model
```

pyevr.openapi_client.models.shipment module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.shipment.Shipment(holding_base=None,
                                                    source=None, items=None,
                                                    certificate_claims=None,
                                                    user_custom_data=None, local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'certificate_claims': 'certificateClaims', 'holding_base': 'holdingBase'}
```

certificate_claims

Gets the certificate_claims of this Shipment. # noqa: E501

Tarneahela sertifikaadi väited # noqa: E501

Returns The certificate_claims of this Shipment. # noqa: E501

Return type list[*CertificateClaim*]

holding_base

Gets the holding_base of this Shipment. # noqa: E501

Returns The holding_base of this Shipment. # noqa: E501

Return type *HoldingBase*

items

Gets the items of this Shipment. # noqa: E501

Saadetis # noqa: E501

Returns The items of this Shipment. # noqa: E501

Return type list[*ShipmentItem*]

```
openapi_types = {'certificate_claims': 'list[CertificateClaim]', 'holding_base': 'HoldingBase'}
```


source

Gets the source of this Shipment. # noqa: E501

Returns The source of this Shipment. # noqa: E501

Return type *Source*

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

user_custom_data

Gets the user_custom_data of this Shipment. # noqa: E501

Api kasutaja poolt kohandataavad andmed # noqa: E501

Returns The user_custom_data of this Shipment. # noqa: E501

Return type object

pyevr.openapi_client.models.shipment_assortment module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.shipment_assortment.ShipmentAssortment (code=None,
                                                                    name=None,
                                                                    product_group=None,
                                                                    local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'code': 'code', 'name': 'name', 'product_group': 'productGroup'}
```

code

Gets the code of this ShipmentAssortment. # noqa: E501

Sortimendi kood # noqa: E501

Returns The code of this ShipmentAssortment. # noqa: E501

Return type str

name

Gets the name of this ShipmentAssortment. # noqa: E501

Sortimendi nimetus # noqa: E501

Returns The name of this ShipmentAssortment. # noqa: E501

Return type str

```
openapi_types = {'code': 'str', 'name': 'str', 'product_group': 'str'}
```

product_group

Gets the product_group of this ShipmentAssortment. # noqa: E501

Tootegrupi kood # noqa: E501

Returns The product_group of this ShipmentAssortment. # noqa: E501

Return type str

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.shipment_item module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.shipment_item.ShipmentItem(amount=None,
                                                             pack=None,
                                                             unit_code=None,
                                                             assort-
                                                             ment=None,    lo-
                                                             cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

amount

Gets the amount of this ShipmentItem. # noqa: E501

Kogus # noqa: E501

Returns The amount of this ShipmentItem. # noqa: E501

Return type float

assortment

Gets the assortment of this ShipmentItem. # noqa: E501

Returns The assortment of this ShipmentItem. # noqa: E501

Return type *ShipmentAssortment*

```
attribute_map = {'amount':  'amount', 'assortment':  'assortment', 'pack':  'pack', 'u
```

```
openapi_types = {'amount':  'float', 'assortment':  'ShipmentAssortment', 'pack':  'Pa
```

pack

Gets the pack of this ShipmentItem. # noqa: E501

Returns The pack of this ShipmentItem. # noqa: E501

Return type *Pack*

to_dict()

Returns the model properties as a dict

to_str()
Returns the string representation of the model

unit_code
Gets the unit_code of this ShipmentItem. # noqa: E501
Mõõtühiku kood # noqa: E501
Returns The unit_code of this ShipmentItem. # noqa: E501
Return type str

pyevr.openapi_client.models.source module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.source.Source(name=None, code=None, com-
                                             partment=None, appropri-
                                             ation=None, planning_area=None,
                                             address=None, coordi-
                                             nates=None, contact_person=None,
                                             near_address=None,
                                             source_document_url=None, lo-
                                             cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address
Gets the address of this Source. # noqa: E501
Returns The address of this Source. # noqa: E501
Return type [Address](#)

appropriation
Gets the appropriation of this Source. # noqa: E501
Eraldis # noqa: E501
Returns The appropriation of this Source. # noqa: E501
Return type str

attribute_map = {'address': 'address', 'appropriation': 'appropriation', 'code': 'c

code
Gets the code of this Source. # noqa: E501
Laokood # noqa: E501
Returns The code of this Source. # noqa: E501
Return type str

compartment

Gets the compartment of this Source. # noqa: E501

Kvartal # noqa: E501

Returns The compartment of this Source. # noqa: E501

Return type str

contact_person

Gets the contact_person of this Source. # noqa: E501

Returns The contact_person of this Source. # noqa: E501

Return type *ContactPerson*

coordinates

Gets the coordinates of this Source. # noqa: E501

Returns The coordinates of this Source. # noqa: E501

Return type *Coordinates*

name

Gets the name of this Source. # noqa: E501

Maaüksuse või laoplatsi nimi # noqa: E501

Returns The name of this Source. # noqa: E501

Return type str

near_address

Gets the near_address of this Source. # noqa: E501

Lähiaadress # noqa: E501

Returns The near_address of this Source. # noqa: E501

Return type str

openapi_types = {'address': 'Address', 'appropriation': 'str', 'code': 'str', 'comp

planning_area

Gets the planning_area of this Source. # noqa: E501

Planeerimispiirkond # noqa: E501

Returns The planning_area of this Source. # noqa: E501

Return type str

source_document_url

Gets the source_document_url of this Source. # noqa: E501

Päritoludokumendi URL # noqa: E501

Returns The source_document_url of this Source. # noqa: E501

Return type str

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

pyevr.openapi_client.models.start_waybill_request module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```

class pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest (owner=None,
                                     trans-
                                     port=None,
                                     re-
                                     ceiver=None,
                                     place_of_delivery=None,
                                     com-
                                     ment=None,
                                     de-
                                     par-
                                     ture_time=None,
                                     sub-
                                     mis-
                                     sion_time=None,
                                     ship-
                                     ments=None,
                                     pre_journey_mileage=None,
                                     user_custom_data=None,
                                     mass=None,
                                     view-
                                     ers=None,
                                     lo-
                                     cal_vars_configuration=None)

```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```

attribute_map = {'comment': 'comment', 'departure_time': 'departureTime', 'mass': 'mass'}

```

comment

Gets the comment of this StartWaybillRequest. # noqa: E501

Märkused/lisainfo # noqa: E501

Returns The comment of this StartWaybillRequest. # noqa: E501

Return type str

departure_time

Gets the departure_time of this StartWaybillRequest. # noqa: E501

Väljasõidu aeg # noqa: E501

Returns The departure_time of this StartWaybillRequest. # noqa: E501

Return type datetime

mass

Gets the mass of this StartWaybillRequest. # noqa: E501

Autorongi mass tonnides # noqa: E501

Returns The mass of this StartWaybillRequest. # noqa: E501

Return type float

openapi_types = {'comment': 'str', 'departure_time': 'datetime', 'mass': 'float', 'owner': 'Owner', 'place_of_delivery': 'WaybillPlaceOfDelivery', 'pre_journey_mileage': 'int', 'receiver': 'Receiver', 'shipments': 'list[Shipment]', 'submission_time': 'datetime', 'to_dict': 'dict', 'to_str': 'str', 'transport': 'Transport'}

owner

Gets the owner of this StartWaybillRequest. # noqa: E501

Returns The owner of this StartWaybillRequest. # noqa: E501

Return type *Owner*

place_of_delivery

Gets the place_of_delivery of this StartWaybillRequest. # noqa: E501

Returns The place_of_delivery of this StartWaybillRequest. # noqa: E501

Return type *WaybillPlaceOfDelivery*

pre_journey_mileage

Gets the pre_journey_mileage of this StartWaybillRequest. # noqa: E501

Ettesõidu kilometraaž # noqa: E501

Returns The pre_journey_mileage of this StartWaybillRequest. # noqa: E501

Return type int

receiver

Gets the receiver of this StartWaybillRequest. # noqa: E501

Returns The receiver of this StartWaybillRequest. # noqa: E501

Return type *Receiver*

shipments

Gets the shipments of this StartWaybillRequest. # noqa: E501

Lähetatud veose andmed # noqa: E501

Returns The shipments of this StartWaybillRequest. # noqa: E501

Return type list[*Shipment*]

submission_time

Gets the submission_time of this StartWaybillRequest. # noqa: E501

Veoselehe EVR-i saatmise aeg # noqa: E501

Returns The submission_time of this StartWaybillRequest. # noqa: E501

Return type datetime

to_dict ()

Returns the model properties as a dict

to_str ()

Returns the string representation of the model

transport

Gets the transport of this StartWaybillRequest. # noqa: E501

Returns The transport of this StartWaybillRequest. # noqa: E501

Return type *Transport*

user_custom_data

Gets the user_custom_data of this StartWaybillRequest. # noqa: E501

Api kasutaja poolt kohandatavad andmed # noqa: E501

Returns The user_custom_data of this StartWaybillRequest. # noqa: E501

Return type object

viewers

Gets the viewers of this StartWaybillRequest. # noqa: E501

Veoselehe vaatlejad # noqa: E501

Returns The viewers of this StartWaybillRequest. # noqa: E501

Return type list[*Viewer*]

pyevr.openapi_client.models.transport module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.transport.Transport (transporter=None,
                                                    driver_name=None,
                                                    driver_id_code=None,
                                                    driver_phone=None,
                                                    van_registration_number=None,
                                                    trailer_registration_number=None,
                                                    lo-
                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'driver_id_code':  'driverIdCode', 'driver_name':  'driverName', 'driver_phone':  'driverPhone'}
```

driver_id_code

Gets the driver_id_code of this Transport. # noqa: E501

Autojuhi isikukood # noqa: E501

Returns The driver_id_code of this Transport. # noqa: E501

Return type str

driver_name

Gets the driver_name of this Transport. # noqa: E501

Autojuhi nimi # noqa: E501

Returns The driver_name of this Transport. # noqa: E501

Return type str

driver_phone

Gets the driver_phone of this Transport. # noqa: E501

Autojuhi telefoninumber # noqa: E501

Returns The driver_phone of this Transport. # noqa: E501

Return type str

openapi_types = {'driver_id_code': 'str', 'driver_name': 'str', 'driver_phone': 'str'}

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

trailer_registration_number

Gets the trailer_registration_number of this Transport. # noqa: E501

Haagise kasutamise korral haagise riiklik registreerimisnumber # noqa: E501

Returns The trailer_registration_number of this Transport. # noqa: E501

Return type str

transporter

Gets the transporter of this Transport. # noqa: E501

Returns The transporter of this Transport. # noqa: E501

Return type *Transporter*

van_registration_number

Gets the van_registration_number of this Transport. # noqa: E501

Veoki riiklik registreerimisnumber # noqa: E501

Returns The van_registration_number of this Transport. # noqa: E501

Return type str

pyevr.openapi_client.models.transporter module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.transporter.Transporter (name=None,
                                                            code=None, contact_person=None, local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

attribute_map = {'code': 'code', 'contact_person': 'contactPerson', 'name': 'name'}

code

Gets the code of this Transporter. # noqa: E501

Isiku- või registrikood # noqa: E501

Returns The code of this Transporter. # noqa: E501

Return type str

contact_person

Gets the contact_person of this Transporter. # noqa: E501

Returns The contact_person of this Transporter. # noqa: E501

Return type *ContactPerson*

name

Gets the name of this Transporter. # noqa: E501

Nimi # noqa: E501

Returns The name of this Transporter. # noqa: E501

Return type str

```
openapi_types = {'code': 'str', 'contact_person': 'ContactPerson', 'name': 'str'}
```

```
to_dict()
```

Returns the model properties as a dict

```
to_str()
```

Returns the string representation of the model

pyevr.openapi_client.models.unload_waybill_request module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.unload_waybill_request.UnloadWaybillRequest (total_journey_mileage: int, comment: str,
                                     comment=None,
                                     local_vars_configuration=None)
    """
    """
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'comment': 'comment', 'total_journey_mileage': 'totalJourneyMileage'}
```

comment

Gets the comment of this UnloadWaybillRequest. # noqa: E501

Kommentaar # noqa: E501

Returns The comment of this UnloadWaybillRequest. # noqa: E501

Return type str

```
openapi_types = {'comment': 'str', 'total_journey_mileage': 'int'}
```

```
to_dict()
```

Returns the model properties as a dict

```
to_str()
```

Returns the string representation of the model

total_journey_mileage

Gets the total_journey_mileage of this UnloadWaybillRequest. # noqa: E501

Kilometraaz koormaga # noqa: E501

Returns The total_journey_mileage of this UnloadWaybillRequest. # noqa: E501

Return type int

pyevr.openapi_client.models.validation_result module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.validation_result.ValidationResult (errors=None,  
                                                                    lo-  
                                                                    cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'errors':  'errors'}
```

errors

Gets the errors of this ValidationResult. # noqa: E501

Returns The errors of this ValidationResult. # noqa: E501

Return type dict(str, list[str])

```
openapi_types = {'errors':  'dict(str, list[str])'}
```

```
to_dict ()
```

Returns the model properties as a dict

```
to_str ()
```

Returns the string representation of the model

pyevr.openapi_client.models.viewer module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.viewer.Viewer (code=None,                                lo-  
                                                cal_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'code':  'code'}
```

code
 Gets the code of this Viewer. # noqa: E501
 Registrikood # noqa: E501
Returns The code of this Viewer. # noqa: E501
Return type str

openapi_types = {'code': 'str'}

to_dict()
 Returns the model properties as a dict

to_str()
 Returns the string representation of the model

pyevr.openapi_client.models.waybill module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.waybill.Waybill(owner=None,
                                                    trans-
                                                    port=None,
                                                    receiver=None,
                                                    place_of_delivery=None,
                                                    comment=None,
                                                    depart-
                                                    ure_time=None,
                                                    submis-
                                                    sion_time=None,
                                                    shipments=None,
                                                    pre_journey_mileage=None,
                                                    user_custom_data=None,
                                                    mass=None,
                                                    number=None,
                                                    status=None,
                                                    creation_time=None,
                                                    cancellation_time=None,
                                                    can-
                                                    cellation_reason=None,
                                                    to-
                                                    tal_journey_mileage=None,
                                                    unloading_comment=None,
                                                    unloading_time=None,
                                                    finishing_time=None,
                                                    last_modification_time=None,
                                                    waybill_authorizations=None,
                                                    local_vars_configuration=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'cancellation_reason': 'cancellationReason', 'cancellation_time': 'cancellationTime'}
```

cancellation_reason

Gets the cancellation_reason of this Waybill. # noqa: E501

Tühistamise põhjus (kui veoseleht on tühistatud) # noqa: E501

Returns The cancellation_reason of this Waybill. # noqa: E501

Return type str

cancellation_time

Gets the cancellation_time of this Waybill. # noqa: E501

Tühistamise aeg (kui veoseleht on tühistatud) # noqa: E501

Returns The cancellation_time of this Waybill. # noqa: E501

Return type datetime

comment

Gets the comment of this Waybill. # noqa: E501

Märkused/lisainfo # noqa: E501

Returns The comment of this Waybill. # noqa: E501

Return type str

creation_time

Gets the creation_time of this Waybill. # noqa: E501

Loomise aeg # noqa: E501

Returns The creation_time of this Waybill. # noqa: E501

Return type datetime

departure_time

Gets the departure_time of this Waybill. # noqa: E501

Väljasõidu aeg # noqa: E501

Returns The departure_time of this Waybill. # noqa: E501

Return type datetime

finishing_time

Gets the finishing_time of this Waybill. # noqa: E501

Veoselehe lõpetamise aeg (kui veoseleht on lõpetatud) # noqa: E501

Returns The finishing_time of this Waybill. # noqa: E501

Return type datetime

last_modification_time

Gets the last_modification_time of this Waybill. # noqa: E501

Veoselehe viimase muutmise aeg # noqa: E501

Returns The last_modification_time of this Waybill. # noqa: E501

Return type datetime

mass

Gets the mass of this Waybill. # noqa: E501

Autorongi mass tonnides # noqa: E501

Returns The mass of this Waybill. # noqa: E501

Return type float

number

Gets the number of this Waybill. # noqa: E501

Veoselehe number # noqa: E501

Returns The number of this Waybill. # noqa: E501

Return type str

openapi_types = {'cancellation_reason': 'str', 'cancellation_time': 'datetime', 'com

owner

Gets the owner of this Waybill. # noqa: E501

Returns The owner of this Waybill. # noqa: E501

Return type *Owner*

place_of_delivery

Gets the place_of_delivery of this Waybill. # noqa: E501

Returns The place_of_delivery of this Waybill. # noqa: E501

Return type *WaybillPlaceOfDelivery*

pre_journey_mileage

Gets the pre_journey_mileage of this Waybill. # noqa: E501

Ettesõidu kilometraaž # noqa: E501

Returns The pre_journey_mileage of this Waybill. # noqa: E501

Return type int

receiver

Gets the receiver of this Waybill. # noqa: E501

Returns The receiver of this Waybill. # noqa: E501

Return type *Receiver*

shipments

Gets the shipments of this Waybill. # noqa: E501

Lähetatud veose andmed # noqa: E501

Returns The shipments of this Waybill. # noqa: E501

Return type list[*Shipment*]

status

Gets the status of this Waybill. # noqa: E501

Returns The status of this Waybill. # noqa: E501

Return type *WaybillStatus*

submission_time

Gets the submission_time of this Waybill. # noqa: E501

Veoselehe EVR-i saatmise aeg # noqa: E501

Returns The submission_time of this Waybill. # noqa: E501

Return type datetime

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

total_journey_mileage

Gets the total_journey_mileage of this Waybill. # noqa: E501

Kilometraaž koormaga (kui veoselehel on vedu lõpetatud) # noqa: E501

Returns The total_journey_mileage of this Waybill. # noqa: E501

Return type int

transport

Gets the transport of this Waybill. # noqa: E501

Returns The transport of this Waybill. # noqa: E501

Return type *Transport*

unloading_comment

Gets the unloading_comment of this Waybill. # noqa: E501

Mahalaadimise kommentaar (kui veoselehel on vedu lõpetatud) # noqa: E501

Returns The unloading_comment of this Waybill. # noqa: E501

Return type str

unloading_time

Gets the unloading_time of this Waybill. # noqa: E501

Mahalaadimise aeg (kui veoselehel on vedu lõpetatud) # noqa: E501

Returns The unloading_time of this Waybill. # noqa: E501

Return type datetime

user_custom_data

Gets the user_custom_data of this Waybill. # noqa: E501

Api kasutaja poolt kohandatavad andmed # noqa: E501

Returns The user_custom_data of this Waybill. # noqa: E501

Return type object

waybill_authorizations

Gets the waybill_authorizations of this Waybill. # noqa: E501

Veoselehe volitused # noqa: E501

Returns The waybill_authorizations of this Waybill. # noqa: E501

Return type list[*WaybillAuthorization*]

pyevr.openapi_client.models.waybill_authorization module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.waybill_authorization.WaybillAuthorization (code=None,  
                                                                           type=None,  
                                                                           lo-  
                                                                           cal_vars_configurat
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

```
attribute_map = {'code': 'code', 'type': 'type'}
```

code

Gets the code of this WaybillAuthorization. # noqa: E501

Registrikood # noqa: E501

Returns The code of this WaybillAuthorization. # noqa: E501

Return type str

```
openapi_types = {'code': 'str', 'type': 'AuthorizationType'}
```

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

type

Gets the type of this WaybillAuthorization. # noqa: E501

Returns The type of this WaybillAuthorization. # noqa: E501

Return type *AuthorizationType*

pyevr.openapi_client.models.waybill_place_of_delivery module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery (code=None,
name=None,
co-
or-
di-
nates=None,
ad-
dress=None,
con-
tact_person=None,
near_address=None,
user_custom_data=None,
local_vars=None)
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

address

Gets the address of this WaybillPlaceOfDelivery. # noqa: E501

Returns The address of this WaybillPlaceOfDelivery. # noqa: E501

Return type *Address*

```
attribute_map = {'address': 'address', 'code': 'code', 'contact_person': 'contactPe
```

code

Gets the code of this WaybillPlaceOfDelivery. # noqa: E501

EVR tarnekoha kood (kui on EVR-i lisatud tarnekoht) # noqa: E501

Returns The code of this WaybillPlaceOfDelivery. # noqa: E501

Return type str

contact_person

Gets the contact_person of this WaybillPlaceOfDelivery. # noqa: E501

Returns The contact_person of this WaybillPlaceOfDelivery. # noqa: E501

Return type *ContactPerson*

coordinates

Gets the coordinates of this WaybillPlaceOfDelivery. # noqa: E501

Returns The coordinates of this WaybillPlaceOfDelivery. # noqa: E501

Return type *Coordinates*

name

Gets the name of this WaybillPlaceOfDelivery. # noqa: E501

Tarnekoha nimi # noqa: E501

Returns The name of this WaybillPlaceOfDelivery. # noqa: E501

Return type str

near_address

Gets the near_address of this WaybillPlaceOfDelivery. # noqa: E501

Lähiaadress # noqa: E501

Returns The near_address of this WaybillPlaceOfDelivery. # noqa: E501

Return type str

```
openapi_types = {'address': 'Address', 'code': 'str', 'contact_person': 'ContactPer
```

to_dict()

Returns the model properties as a dict

to_str()

Returns the string representation of the model

user_custom_data

Gets the user_custom_data of this WaybillPlaceOfDelivery. # noqa: E501

Api kasutaja poolt kohandatavad andmed # noqa: E501

Returns The user_custom_data of this WaybillPlaceOfDelivery. # noqa: E501

Return type object

pyevr.openapi_client.models.waybill_sort_field module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.waybill_sort_field.**WaybillSortField** (*local_vars_configuration=None*)
 Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

CREATIONTIMEASC = 'creationTimeAsc'

CREATIONTIMEDESC = 'creationTimeDesc'

LASTMODIFICATIONTIMEASC = 'lastModificationTimeAsc'

LASTMODIFICATIONTIMEDESC = 'lastModificationTimeDesc'

allowable_values = ['creationTimeAsc', 'creationTimeDesc', 'lastModificationTimeAsc',

Attributes:

openapi_types (dict): The key is attribute name and the value is attribute type.

attribute_map (dict): The key is attribute name and the value is json key in definition.

attribute_map = {}

openapi_types = {}

to_dict ()

Returns the model properties as a dict

to_str ()

Returns the string representation of the model

pyevr.openapi_client.models.waybill_status module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.models.waybill_status.**WaybillStatus** (*local_vars_configuration=None*)
 Bases: object

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech>

Do not edit the class manually.

CANCELLED = 'cancelled'

FINISHED = 'finished'

SHIPPING = 'shipping'

UNLOADED = 'unloaded'

allowable_values = ['shipping', 'cancelled', 'unloaded', 'finished']

Attributes:

openapi_types (dict): The key is attribute name and the value is attribute type.

attribute_map (dict): The key is attribute name and the value is json key in definition.

```
attribute_map = {}
openapi_types = {}

to_dict()
    Returns the model properties as a dict

to_str()
    Returns the string representation of the model
```

Module contents

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

Submodules

pyevr.openapi_client.api_client module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.api_client.ApiClient(configuration=None,
                                                header_name=None,
                                                header_value=None, cookie=None,
                                                pool_threads=1)
```

Bases: object

Generic API client for OpenAPI client library builds.

OpenAPI generic API client. This client handles the client- server communication, and is invariant across implementations. Specifics of the methods and models for each application are generated from the OpenAPI templates.

NOTE: This class is auto generated by OpenAPI Generator. Ref: <https://openapi-generator.tech> Do not edit the class manually.

Parameters

- **configuration** – .Configuration object for this client
- **header_name** – a header to pass when making calls to the API.
- **header_value** – a header value to pass when making calls to the API.
- **cookie** – a cookie to include in the header when making calls to the API
- **pool_threads** – The number of threads to use for async requests to the API. More threads means more concurrent API requests.

```
NATIVE_TYPES_MAPPING = {'bool': <class 'bool'>, 'date': <class 'datetime.date'>, 'da
PRIMITIVE_TYPES = (<class 'float'>, <class 'bool'>, <class 'bytes'>, <class 'str'>, <c
```

call_api (*resource_path, method, path_params=None, query_params=None, header_params=None, body=None, post_params=None, files=None, response_type=None, auth_settings=None, async_req=None, _return_http_data_only=None, collection_formats=None, _preload_content=True, _request_timeout=None, _host=None*)

Makes the HTTP request (synchronous) and returns deserialized data.

To make an `async_req` request, set the `async_req` parameter.

Parameters

- **resource_path** – Path to method endpoint.
- **method** – Method to call.
- **path_params** – Path parameters in the url.
- **query_params** – Query parameters in the url.
- **header_params** – Header parameters to be placed in the request header.
- **body** – Request body.
- **dict** (*files*) – Request post form parameters, for *application/x-www-form-urlencoded, multipart/form-data*.
- **list** (*auth_settings*) – Auth Settings names for the request.
- **response** – Response data type.
- **dict** – key -> filename, value -> filepath, for *multipart/form-data*.
- **bool** (*async_req*) – execute request asynchronously
- **_return_http_data_only** – response data without head status code and headers
- **collection_formats** – dict of collection formats for path, query, header, and post parameters.
- **_preload_content** – if False, the `urllib3.HTTPResponse` object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

Returns If `async_req` parameter is True, the request will be called asynchronously. The method will return the request thread. If parameter `async_req` is False or missing, then the method will return the response directly.

deserialize (*response, response_type*)

Deserializes response into an object.

Parameters

- **response** – `RESTResponse` object to be deserialized.
- **response_type** – class literal for deserialized object, or string of class name.

Returns deserialized object.

files_parameters (*files=None*)

Builds form parameters.

Parameters **files** – File parameters.

Returns Form parameters with files.

parameters_to_tuples (*params, collection_formats*)

Get parameters as list of tuples, formatting collections.

Parameters

- **params** – Parameters as dict or list of two-tuples
- **collection_formats** (*dict*) – Parameter collection formats

Returns Parameters as list of tuples, collections formatted

pool

Create thread pool on first request avoids instantiating unused threadpool for blocking clients.

request (*method, url, query_params=None, headers=None, post_params=None, body=None, _preload_content=True, _request_timeout=None*)

Makes the HTTP request using RESTClient.

sanitize_for_serialization (*obj*)

Builds a JSON POST object.

If obj is None, return None. If obj is str, int, long, float, bool, return directly. If obj is datetime.datetime, datetime.date

convert to string in iso8601 format.

If obj is list, sanitize each element in the list. If obj is dict, return the dict. If obj is OpenAPI model, return the properties dict.

Parameters **obj** – The data to serialize.

Returns The serialized form of data.

select_header_accept (*accepts*)

Returns *Accept* based on an array of accepts provided.

Parameters **accepts** – List of headers.

Returns Accept (e.g. application/json).

select_header_content_type (*content_types*)

Returns *Content-Type* based on an array of content_types provided.

Parameters **content_types** – List of content-types.

Returns Content-Type (e.g. application/json).

set_default_header (*header_name, header_value*)

update_params_for_auth (*headers, querys, auth_settings*)

Updates header and query params based on authentication setting.

Parameters

- **headers** – Header parameters dict to be updated.
- **querys** – Query parameters tuple list to be updated.
- **auth_settings** – Authentication setting identifiers list.

user_agent

User agent for this API client

pyevr.openapi_client.configuration module**EVR API**

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

```
class pyevr.openapi_client.configuration.Configuration (host='https://evr-
test.azurewebsites.net',
api_key={},
api_key_prefix={},    user-
name="", password="")
```

Bases: object

NOTE: This class is auto generated by OpenAPI Generator

Ref: <https://openapi-generator.tech> Do not edit the class manually.

Parameters

- **host** – Base url
- **api_key** – Dict to store API key(s)
- **api_key_prefix** – Dict to store API prefix (e.g. Bearer)
- **username** – Username for HTTP basic authentication
- **password** – Password for HTTP basic authentication

api_key = None
dict to store API key(s)

api_key_prefix = None
dict to store API prefix (e.g. Bearer)

assert_hostname = None
Set this to True/False to enable/disable SSL hostname verification.

auth_settings ()
Gets Auth Settings dict for api client.

Returns The Auth Settings information dict.

cert_file = None
client certificate file

connection_pool_maxsize = None
urllib3 connection pool's maximum number of connections saved per pool. urllib3 uses 1 connection as default value, but this is not the best value when you are making a lot of possibly parallel requests to the same host, which is often the case here. `cpu_count * 5` is used as default value to increase performance.

debug
Debug switch

get_api_key_with_prefix (identifier)
Gets API key (with prefix if set).

Parameters **identifier** – The identifier of apiKey.

Returns The token for api key authentication.

get_basic_auth_token ()
Gets HTTP basic authentication header (string).

Returns The token for basic HTTP authentication.

get_host_from_settings (index, variables={})
Gets host URL based on the index and variables :param index: array index of the host settings :param variables: hash of variable and the corresponding value :return: URL based on host settings

get_host_settings ()

Gets an array of host settings

Returns An array of host settings

host = None

Default Base url

key_file = None

client key file

logger = None

Logging Settings

logger_file

Debug file location

logger_file_handler = None

Log file handler

logger_format

Log format

logger_stream_handler = None

Log stream handler

password = None

Password for HTTP basic authentication

proxy = None

Proxy URL

proxy_headers = None

Proxy headers

refresh_api_key_hook = None

function hook to refresh API key if expired

retries = None

Adding retries to override urllib3 default value 3

safe_chars_for_path_param = None

Safe chars for path_param

ssl_ca_cert = None

Set this to customize the certificate file to verify the peer.

temp_folder_path = None

Temp file folder for downloading files

to_debug_report ()

Gets the essential information for debugging.

Returns The report for debugging.

username = None

Username for HTTP basic authentication

verify_ssl = None

SSL/TLS verification Set this to false to skip verifying SSL certificate when calling API from https server.

class pyevr.openapi_client.configuration.**TypeWithDefault** (*name, bases, dct*)

Bases: type

set_default (*default*)

pyevr.openapi_client.exceptions module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

exception pyevr.openapi_client.exceptions.**ApiException** (*status=None, reason=None, http_resp=None*)
Bases: *pyevr.openapi_client.exceptions.OpenApiException*

exception pyevr.openapi_client.exceptions.**ApiKeyError** (*msg, path_to_item=None*)
Bases: *pyevr.openapi_client.exceptions.OpenApiException, KeyError*

exception pyevr.openapi_client.exceptions.**ApiTypeError** (*msg, path_to_item=None, valid_classes=None, key_type=None*)
Bases: *pyevr.openapi_client.exceptions.OpenApiException, TypeError*

exception pyevr.openapi_client.exceptions.**ApiValueError** (*msg, path_to_item=None*)
Bases: *pyevr.openapi_client.exceptions.OpenApiException, ValueError*

exception pyevr.openapi_client.exceptions.**OpenApiException**
Bases: *Exception*

The base exception class for all OpenAPIExceptions

pyevr.openapi_client.exceptions.**render_path** (*path_to_item*)
Returns a string representation of a path

pyevr.openapi_client.rest module

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

class pyevr.openapi_client.rest.**RESTClientObject** (*configuration, pools_size=4, max_size=None*)
Bases: *object*

DELETE (*url, headers=None, query_params=None, body=None, _preload_content=True, _request_timeout=None*)

GET (*url, headers=None, query_params=None, _preload_content=True, _request_timeout=None*)

HEAD (*url, headers=None, query_params=None, _preload_content=True, _request_timeout=None*)

OPTIONS (*url, headers=None, query_params=None, post_params=None, body=None, _preload_content=True, _request_timeout=None*)

PATCH (*url, headers=None, query_params=None, post_params=None, body=None, _preload_content=True, _request_timeout=None*)

POST (*url, headers=None, query_params=None, post_params=None, body=None, _preload_content=True, _request_timeout=None*)

PUT (*url, headers=None, query_params=None, post_params=None, body=None, _preload_content=True, _request_timeout=None*)

request (*method, url, query_params=None, headers=None, body=None, post_params=None, _preload_content=True, _request_timeout=None*)
Perform requests.

Parameters

- **method** – http request method
- **url** – http request url
- **query_params** – query parameters in the url
- **headers** – http request headers
- **body** – request json body, for *application/json*
- **post_params** – request post parameters, *application/x-www-form-urlencoded* and *multipart/form-data*
- **_preload_content** – if False, the urllib3.HTTPResponse object will be returned without reading/decoding response data. Default is True.
- **_request_timeout** – timeout setting for this request. If one number provided, it will be total request timeout. It can also be a pair (tuple) of (connection, read) timeouts.

class pyevr.openapi_client.rest.RESTResponse (*resp*)

Bases: io.IOBase

getheader (*name, default=None*)

Returns a given response header.

getheaders ()

Returns a dictionary of the response headers.

Module contents

EVR API

OpenAPI Generator'i jaoks kohandatud EVR API kirjeldus. Kasuta seda juhul, kui spetsifikatsioonile vastava EVR API kirjeldusega ei õnnestu klienti genereerida. # noqa: E501

The version of the OpenAPI document: 1.0 Generated by: <https://openapi-generator.tech>

4.2 Submodules

4.3 pyevr.client module

Main module.

class pyevr.client.EVRClient (*api_key: str, host: str = None*)

Bases: object

API client class for EVR.

Parameters

- **api_key** – Company API key in EVR
- **host** – EVR host. Defaults to test host (optional)

4.4 pyevr.main module

4.5 Module contents

Top-level package for pyevr.

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

5.1 Types of Contributions

5.1.1 Report Bugs

Report bugs at <https://github.com/thorgate/pyevr/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

5.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

5.1.4 Write Documentation

pyevr could always use more documentation, whether as part of the official pyevr docs, in docstrings, or even on the web in blog posts, articles, and such.

5.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/thorgate/pyevr/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

5.2 Get Started!

Ready to contribute? Here's how to set up *pyevr* for local development.

1. Fork the *pyevr* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/pyevr.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv pyevr
$ cd pyevr/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ make lint
$ make test
$ make test-all

$ flake8 pyevr tests
$ pytest or python setup.py test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv. All development dependencies are included in *requirements_dev.txt*.

6. Commit your changes and push your branch to GitHub:

```
$ git add .  
$ git commit -m "Your detailed description of your changes."  
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

5.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 3.5, 3.6, 3.7 and 3.8, and for PyPy. Check https://travis-ci.org/thorgate/pyevr/pull_requests and make sure that the tests pass for all supported Python versions.

5.4 Tips

To run a subset of tests:

```
$ pytest tests.test_pyevr
```

5.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bump2version patch # possible: major / minor / patch  
$ git push  
$ git push --tags
```

Create a release in Github and Travis will then deploy to PyPI if tests pass.

6.1 Development Lead

- Thorgate <code@thorgate.eu>

6.2 Contributors

- Taavi Teska <taavi@thorgate.eu>

7.1 0.1.0 (2019-11-09)

- First release on PyPI.

CHAPTER 8

Indices and tables

- `genindex`
- `modindex`
- `search`

Python Module Index

p

pyevr, 93
pyevr.client, 92
pyevr.openapi_client, 92
pyevr.openapi_client.api, 24
pyevr.openapi_client.api assortments_api, 7
pyevr.openapi_client.api.certificates_api, 8
pyevr.openapi_client.api.measurement_units_api, 9
pyevr.openapi_client.api.measurements_api, 10
pyevr.openapi_client.api.organizations_api, 12
pyevr.openapi_client.api.place_of_deliveries_api, 14
pyevr.openapi_client.api.waybills_api, 17
pyevr.openapi_client.api_client, 86
pyevr.openapi_client.configuration, 88
pyevr.openapi_client.exceptions, 91
pyevr.openapi_client.models, 86
pyevr.openapi_client.models.add_measurement_act_request, 24
pyevr.openapi_client.models.add_shipments_to_waybill_request, 25
pyevr.openapi_client.models.address, 26
pyevr.openapi_client.models.assortment, 27
pyevr.openapi_client.models.authorization_type, 28
pyevr.openapi_client.models.cancel_waybill_request, 28
pyevr.openapi_client.models.certificate, 29
pyevr.openapi_client.models.certificate_claim, 30
pyevr.openapi_client.models.consolidated_act, 31
pyevr.openapi_client.models.consolidated_act_all_of, 32
pyevr.openapi_client.models.contact_person, 33
pyevr.openapi_client.models.contract_for_transfer_of, 34
pyevr.openapi_client.models.coordinates, 35
pyevr.openapi_client.models.forest_act, 36
pyevr.openapi_client.models.forest_notice, 37
pyevr.openapi_client.models.forest_notice_all_of, 38
pyevr.openapi_client.models.holding_base, 40
pyevr.openapi_client.models.inventory_act, 40
pyevr.openapi_client.models.inventory_act_all_of, 41
pyevr.openapi_client.models.measurement_act, 43
pyevr.openapi_client.models.measurement_unit, 44
pyevr.openapi_client.models.organization, 45
pyevr.openapi_client.models.owner, 46
pyevr.openapi_client.models.pack, 47
pyevr.openapi_client.models.pack_location, 48
pyevr.openapi_client.models.paged_result_of_assortments, 49
pyevr.openapi_client.models.paged_result_of_certificates, 50
pyevr.openapi_client.models.paged_result_of_measurements, 51
pyevr.openapi_client.models.paged_result_of_measurements, 52
pyevr.openapi_client.models.paged_result_of_organizations, 52

[53](#)
pyevr.openapi_client.models.paged_result_of_place_of_delivery,
[54](#)
pyevr.openapi_client.models.paged_result_of_waybill,
[55](#)
pyevr.openapi_client.models.place_of_delivery,
[55](#)
pyevr.openapi_client.models.previous_owner,
[58](#)
pyevr.openapi_client.models.problem_details,
[59](#)
pyevr.openapi_client.models.put_place_of_delivery_request,
[60](#)
pyevr.openapi_client.models.receiver,
[63](#)
pyevr.openapi_client.models.representer,
[64](#)
pyevr.openapi_client.models.sales_contract,
[65](#)
pyevr.openapi_client.models.sales_contract_all_of,
[66](#)
pyevr.openapi_client.models.shipment,
[68](#)
pyevr.openapi_client.models.shipment_assortment,
[69](#)
pyevr.openapi_client.models.shipment_item,
[70](#)
pyevr.openapi_client.models.source,[71](#)
pyevr.openapi_client.models.start_waybill_request,
[73](#)
pyevr.openapi_client.models.transport,
[75](#)
pyevr.openapi_client.models.transporter,
[76](#)
pyevr.openapi_client.models.unload_waybill_request,
[77](#)
pyevr.openapi_client.models.validation_result,
[78](#)
pyevr.openapi_client.models.viewer,[78](#)
pyevr.openapi_client.models.waybill,[79](#)
pyevr.openapi_client.models.waybill_authorization,
[82](#)
pyevr.openapi_client.models.waybill_place_of_delivery,
[83](#)
pyevr.openapi_client.models.waybill_sort_field,
[84](#)
pyevr.openapi_client.models.waybill_status,
[85](#)
pyevr.openapi_client.rest,[91](#)

A

act_number (pyevr.openapi_client.models.add_measurement_act_request.AddMeasurementActRequest attribute), 25
 act_number (pyevr.openapi_client.models.measurement_act.MeasurementAct attribute), 43
 AddMeasurementActRequest (class in pyevr.openapi_client.models.add_measurement_act_request), 24
 Address (class in pyevr.openapi_client.models.address), 26
 address (pyevr.openapi_client.models.organization.Organization attribute), 45
 address (pyevr.openapi_client.models.owner.Owner attribute), 46
 address (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 56
 address (pyevr.openapi_client.models.previous_owner.PreviousOwner attribute), 58
 address (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 61
 address (pyevr.openapi_client.models.receiver.Receiver attribute), 63
 address (pyevr.openapi_client.models.representer.Representer attribute), 64
 address (pyevr.openapi_client.models.source.Source attribute), 71
 address (pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery attribute), 83
 AddShipmentsToWaybillRequest (class in pyevr.openapi_client.models.add_shipments_to_waybill_request), 25
 allowable_values (pyevr.openapi_client.models.authorization_type.AuthorizationType attribute), 28
 allowable_values (pyevr.openapi_client.models.pack_location.PackLocation attribute), 49
 allowable_values (pyevr.openapi_client.models.waybill_sort_field.WaybillSortField attribute), 85
 allowable_values (pyevr.openapi_client.models.waybill_status.WaybillStatus attribute), 85
 amount (pyevr.openapi_client.models.shipment_item.ShipmentItem attribute), 70
 api_key (pyevr.openapi_client.configuration.Configuration attribute), 89
 api_key_prefix (pyevr.openapi_client.configuration.Configuration attribute), 89
 ApiClient (class in pyevr.openapi_client.api_client), 86
 ApiException, 91
 ApiKeyError, 91
 ApiTypeError, 91
 ApiValueError, 91
 appropriation (pyevr.openapi_client.models.source.Source attribute), 71
 Assortment (class in pyevr.openapi_client.models.assortment), 27
 assortment (pyevr.openapi_client.models.shipment_item.ShipmentItem attribute), 70
 assortments_list () (pyevr.openapi_client.api.assortments_api.AssortmentsApi method), 7
 assortments_list_with_http_info () (pyevr.openapi_client.api.assortments_api.AssortmentsApi method), 8
 AssortmentsApi (class in pyevr.openapi_client.api.assortments_api), 7
 attribute_map (pyevr.openapi_client.models.add_measurement_act_request.AddMeasurementActRequest attribute), 25
 attribute_map (pyevr.openapi_client.models.add_shipments_to_waybill_request.AddShipmentsToWaybillRequest attribute), 26
 attribute_map (pyevr.openapi_client.models.address.Address attribute), 26
 attribute_map (pyevr.openapi_client.models.assortment.Assortment attribute), 27
 attribute_map (pyevr.openapi_client.models.authorization_type.AuthorizationType attribute), 28

attribute_map (pyevr.openapi_client.models.cancel_waybill_request.CancelWaybillRequest),	
attribute), 29	attribute), 56
attribute_map (pyevr.openapi_client.models.certificate_certificate_map (pyevr.openapi_client.models.previous_owner.PreviousOwner)),	
attribute), 29	attribute), 58
attribute_map (pyevr.openapi_client.models.certificate_attachment.CertificateAttachment),	
attribute), 30	attribute), 59
attribute_map (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct),	
attribute), 31	attribute), 61
attribute_map (pyevr.openapi_client.models.consolidated_act_bulk_of_consolidated_act.BulkOfConsolidatedAct),	
attribute), 32	attribute), 63
attribute_map (pyevr.openapi_client.models.contact_person.ContactPerson),	
attribute), 33	attribute), 64
attribute_map (pyevr.openapi_client.models.contract_for_transfer_of_rights.ContractForTransferOfRights),	
attribute), 34	attribute), 65
attribute_map (pyevr.openapi_client.models.coordinates.Coordinates),	
attribute), 36	attribute), 67
attribute_map (pyevr.openapi_client.models.forest_act.ForestAct),	
attribute), 36	attribute), 68
attribute_map (pyevr.openapi_client.models.forest_notice.ForestNotice),	
attribute), 38	attribute), 69
attribute_map (pyevr.openapi_client.models.forest_notice_detail_of_forest_type.AllForestTypeDetail),	
attribute), 39	attribute), 70
attribute_map (pyevr.openapi_client.models.holding_base.HoldingBase),	
attribute), 40	attribute), 71
attribute_map (pyevr.openapi_client.models.inventory_act.InventoryAct),	
attribute), 40	attribute), 73
attribute_map (pyevr.openapi_client.models.inventory_act_all_of_inventory_act.AllInventoryAct),	
attribute), 42	attribute), 75
attribute_map (pyevr.openapi_client.models.measurement_and_measurement_unit.MeasurementAndMeasurementUnit),	
attribute), 43	attribute), 76
attribute_map (pyevr.openapi_client.models.measurement_unit.MeasurementUnit),	
attribute), 44	attribute), 77
attribute_map (pyevr.openapi_client.models.organization.Organization),	
attribute), 45	attribute), 78
attribute_map (pyevr.openapi_client.models.owner.Owner),	
attribute), 46	attribute), 78
attribute_map (pyevr.openapi_client.models.pack.Pack),	
attribute), 47	attribute), 79
attribute_map (pyevr.openapi_client.models.pack_location.PackLocation),	
attribute), 49	attribute), 83
attribute_map (pyevr.openapi_client.models.paged_result_of_assortment.PagedResultOfAssortment),	
attribute), 49	attribute), 84
attribute_map (pyevr.openapi_client.models.paged_result_of_certificate.PagedResultOfCertificate),	
attribute), 50	attribute), 85
attribute_map (pyevr.openapi_client.models.paged_result_of_lineage_measurements.PagedResultOfLineageMeasurements),	
attribute), 51	attribute), 85
attribute_map (pyevr.openapi_client.models.paged_result_of_measures_utility.PagedResultOfMeasuresUtility),	
attribute), 52	method), 89
attribute_map (pyevr.openapi_client.models.paged_result_of_organization.PageedResultOfOrganisation in pyevr.openapi_client.models.authorization_type),	
attribute), 53	in pyevr.openapi_client.models.authorization_type),
attribute_map (pyevr.openapi_client.models.paged_result_of_place_of_delivery.PagedResultOfPlaceOfDelivery)	
attribute), 54	
attribute_map (pyevr.openapi_client.models.paged_result_of_waybill.PagedResultOfWaybill)	
attribute), 55	

`attribute`), 31
`cadaster (pyevr.openapi_client.models.consolidated_act_all_of.ConsolidatedActAllOf`
`attribute`), 32
`cadaster (pyevr.openapi_client.models.contract_for_transfer_of_cutting_rights.ContractForTransferOfCuttingRights`
`attribute`), 34
`cadaster (pyevr.openapi_client.models.forest_act.ForestAct`
`attribute`), 36
`cadaster (pyevr.openapi_client.models.forest_notice.ForestNotice`
`attribute`), 44
`cadaster (pyevr.openapi_client.models.forest_notice_all_of.ForestNoticeAllOf`
`attribute`), 39
`cadaster (pyevr.openapi_client.models.inventory_act.InventoryAct`
`attribute`), 56
`cadaster (pyevr.openapi_client.models.inventory_act_all_of.InventoryActAllOf`
`attribute`), 42
`cadaster (pyevr.openapi_client.models.sales_contract.SalesContract`
`attribute`), 63
`cadaster (pyevr.openapi_client.models.sales_contract_all_of.SalesContractAllOf`
`attribute`), 67
`call_api () (pyevr.openapi_client.api_client.ApiClient`
`method)`, 86
`cancellation_reason`
`(pyevr.openapi_client.models.waybill.Waybill`
`attribute)`, 79
`cancellation_time`
`(pyevr.openapi_client.models.waybill.Waybill`
`attribute)`, 79
`CANCELLED (pyevr.openapi_client.models.waybill_status.WaybillStatus`
`attribute)`, 85
`CancelWaybillRequest` (class in `pyevr.openapi_client.models.cancel_waybill_request`), 29
`cert_file (pyevr.openapi_client.configuration.Configuration`
`attribute)`, 89
`Certificate` (class in `pyevr.openapi_client.models.certificate`), 29
`certificate_claims`
`(pyevr.openapi_client.models.shipment.Shipment`
`attribute)`, 68
`CertificateClaim` (class in `pyevr.openapi_client.models.certificate_claim`), 30
`certificates_list ()`
`(pyevr.openapi_client.api.certificates_api.CertificatesApi`
`method)`, 8
`certificates_list_with_http_info ()`
`(pyevr.openapi_client.api.certificates_api.CertificatesApi`
`method)`, 9
`CertificatesApi` (class in `pyevr.openapi_client.api.certificates_api`), 8
`city (pyevr.openapi_client.models.address.Address`
`attribute)`, 26
`code (pyevr.openapi_client.models.assortment.Assortment`
`attribute)`, 47
`code (pyevr.openapi_client.models.certificate.Certificate`
`attribute)`, 29
`code (pyevr.openapi_client.models.certificate_claim.CertificateClaim`
`attribute)`, 30
`code (pyevr.openapi_client.models.measurement_unit.MeasurementUnit`
`attribute)`, 44
`code (pyevr.openapi_client.models.owner.Owner`
`attribute)`, 38
`code (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery`
`attribute)`, 56
`code (pyevr.openapi_client.models.previous_owner.PreviousOwner`
`attribute)`, 48
`code (pyevr.openapi_client.models.receiver.Receiver`
`attribute)`, 63
`code (pyevr.openapi_client.models.representer.Representer`
`attribute)`, 69
`code (pyevr.openapi_client.models.shipment_assortment.ShipmentAssortment`
`attribute)`, 69
`code (pyevr.openapi_client.models.source.Source`
`attribute)`, 71
`code (pyevr.openapi_client.models.transporter.Transporter`
`attribute)`, 76
`code (pyevr.openapi_client.models.viewer.Viewer`
`attribute)`, 78
`code (pyevr.openapi_client.models.waybill_authorization.WaybillAuthorization`
`attribute)`, 83
`code (pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery`
`attribute)`, 84
`code (pyevr.openapi_client.models.pack.Pack`
`attribute)`, 47
`comment (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest`
`attribute)`, 73
`comment (pyevr.openapi_client.models.unload_waybill_request.UnloadWaybillRequest`
`attribute)`, 77
`comment (pyevr.openapi_client.models.waybill.Waybill`
`attribute)`, 80
`compartment (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct`
`attribute)`, 31
`compartment (pyevr.openapi_client.models.consolidated_act_all_of.ConsolidatedActAllOf`
`attribute)`, 32
`compartment (pyevr.openapi_client.models.contract_for_transfer_of_cutting_rights.ContractForTransferOfCuttingRights`
`attribute)`, 35
`compartment (pyevr.openapi_client.models.forest_act.ForestAct`
`attribute)`, 37
`compartment (pyevr.openapi_client.models.forest_notice.ForestNotice`
`attribute)`, 38
`compartment (pyevr.openapi_client.models.forest_notice_all_of.ForestNoticeAllOf`
`attribute)`, 39
`compartment (pyevr.openapi_client.models.inventory_act.InventoryAct`
`attribute)`, 41
`compartment (pyevr.openapi_client.models.inventory_act_all_of.InventoryActAllOf`
`attribute)`, 42

compartment (pyevr.openapi_client.models.sales_contract.SalesContract attribute), 65
 compartment (pyevr.openapi_client.models.sales_contract.AllOfSalesContract attribute), 67
 compartment (pyevr.openapi_client.models.source.Source attribute), 71
 Configuration (class in contract_number (pyevr.openapi_client.models.inventory_act.InventoryAct attribute), 89
 connection_pool_maxsize (pyevr.openapi_client.configuration.Configuration attribute), 89
 ConsolidatedAct (class in contract_number (pyevr.openapi_client.models.sales_contract.SalesContract attribute), 31
 ConsolidatedActAllOf (class in ContractForTransferOfCuttingRights (class in pyevr.openapi_client.models.contract_for_transfer_of_cutting_rights attribute), 32
 contact_person (pyevr.openapi_client.models.owner.Owner attribute), 46
 contact_person (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 56
 contact_person (pyevr.openapi_client.models.put_place_of_delivery.PutPlaceOfDeliveryRequest attribute), 61
 contact_person (pyevr.openapi_client.models.receiver.Receiver attribute), 63
 contact_person (pyevr.openapi_client.models.source.Source attribute), 72
 contact_person (pyevr.openapi_client.models.transporter.Transporter attribute), 77
 contact_person (pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery attribute), 84
 contact_persons (pyevr.openapi_client.models.organization.Organizations attribute), 26
 ContactPerson (class in attribute), 33
 contract_date (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct attribute), 31
 contract_date (pyevr.openapi_client.models.consolidated_act.AllOfConsolidatedAct attribute), 32
 contract_date (pyevr.openapi_client.models.contract_for_transfer_of_cutting_rights.ContractForTransferOfCuttingRights attribute), 35
 contract_date (pyevr.openapi_client.models.forest_act.ForestAct attribute), 37
 contract_date (pyevr.openapi_client.models.inventory_act.InventoryAct attribute), 41
 contract_date (pyevr.openapi_client.models.inventory_act_all_of.InventoryActAllOf attribute), 42
 contract_date (pyevr.openapi_client.models.sales_contract.SalesContract attribute), 66
 contract_date (pyevr.openapi_client.models.sales_contract.AllOfSalesContract attribute), 67
 contract_number (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct attribute), 31

D

debug (pyevr.openapi_client.configuration.Configuration attribute), 89
 contract_date (pyevr.openapi_client.models.sales_contract.AllOfSalesContract attribute), 67
 contract_number (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct attribute), 31

departure_time (pyevr.openapi_client.models.waybill.Waybill attribute), 80
 description (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 38
 description (pyevr.openapi_client.models.put_place_of_delivery (pyevr.openapi_client.models.request.ForestNoticeAllOf attribute), 39
 deserialize () (pyevr.openapi_client.api_client.ApiClient method), 87
 detail (pyevr.openapi_client.models.problem_details.ProblemDetails attribute), 41
 discriminator_value_class_map (pyevr.openapi_client.models.holding_base.HoldingBase attribute), 42
 driver_id_code (pyevr.openapi_client.models.transport.Transport attribute), 66
 driver_name (pyevr.openapi_client.models.transport.Transport attribute), 67
 driver_phone (pyevr.openapi_client.models.transport.Transport attribute), 75
 ForestAct (class in pyevr.openapi_client.models.forest_act), 36
 email (pyevr.openapi_client.models.contact_person.ContactPerson attribute), 33
 email (pyevr.openapi_client.models.organization.Organization attribute), 45
 email (pyevr.openapi_client.models.owner.Owner attribute), 47
 email (pyevr.openapi_client.models.representer.Representer attribute), 64
 errors (pyevr.openapi_client.models.validation_result.ValidationResult attribute), 78
 EVRClient (class in pyevr.client), 92
E
 email (pyevr.openapi_client.models.contact_person.ContactPerson attribute), 33
 email (pyevr.openapi_client.models.organization.Organization attribute), 45
 email (pyevr.openapi_client.models.owner.Owner attribute), 47
 email (pyevr.openapi_client.models.representer.Representer attribute), 64
 errors (pyevr.openapi_client.models.validation_result.ValidationResult attribute), 78
F
 files_parameters () (pyevr.openapi_client.api_client.ApiClient method), 87
 FINISHED (pyevr.openapi_client.models.waybill_status.WaybillStatus attribute), 85
 finishing_time (pyevr.openapi_client.models.waybill.Waybill attribute), 80
 forest_allocation_number (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct attribute), 31
 forest_allocation_number (pyevr.openapi_client.models.consolidated_act_all_of.ConsolidatedActAllOf attribute), 33
 forest_allocation_number (pyevr.openapi_client.models.contract_for_transfer_of_cutting_rights.ContractForTransferOfCuttingRights attribute), 35
 forest_allocation_number (pyevr.openapi_client.models.forest_act.ForestAct attribute), 37
 GET () (pyevr.openapi_client.rest.RESTClientObject method), 91
 get_api_key_with_prefix () (pyevr.openapi_client.configuration.Configuration method), 89
 get_basic_auth_token () (pyevr.openapi_client.configuration.Configuration method), 89
 get_host_from_settings () (pyevr.openapi_client.configuration.Configuration method), 89
 get_host_settings () (pyevr.openapi_client.configuration.Configuration method), 89
 get_real_child_model () (pyevr.openapi_client.models.holding_base.HoldingBase method), 40
 getheader () (pyevr.openapi_client.rest.RESTResponse method), 92
 getheaders () (pyevr.openapi_client.rest.RESTResponse method), 92
G

H

HEAD () (pyevr.openapi_client.rest.RESTClientObject (pyevr.openapi_client.configuration.Configuration method), 91 attribute), 90

height (pyevr.openapi_client.models.pack.Pack attribute), 48 logger_format (pyevr.openapi_client.configuration.Configuration attribute), 90

holding_base (pyevr.openapi_client.models.shipment.Shipment attribute), 68 logger_stream_handler (pyevr.openapi_client.configuration.Configuration attribute), 90

HoldingBase (class in pyevr.openapi_client.models.holding_base), 40

host (pyevr.openapi_client.configuration.Configuration attribute), 90

I

instance (pyevr.openapi_client.models.problem_details.ProblemDetails attribute), 59

InventoryAct (class in pyevr.openapi_client.models.inventory_act), 40

InventoryActAllOf (class in pyevr.openapi_client.models.inventory_act_all_of), 41

is_active (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57

is_active (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 61

is_public (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57

is_public (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62

items (pyevr.openapi_client.models.shipment.Shipment attribute), 68

mass (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 73

mass (pyevr.openapi_client.models.waybill.Waybill attribute), 80

measurement_unit_code (pyevr.openapi_client.models.assortment.Assortment attribute), 27

measurement_units_list () (pyevr.openapi_client.api.measurement_units_api.MeasurementUnitsApi method), 9

measurement_units_list_with_http_info () (pyevr.openapi_client.api.measurement_units_api.MeasurementUnitsApi method), 10

MeasurementAct (class in pyevr.openapi_client.models.measurement_act), 43

measurements (pyevr.openapi_client.models.add_measurement_act_request.AddMeasurementActRequest attribute), 25

measurements (pyevr.openapi_client.models.measurement_act.MeasurementAct attribute), 43

measurements_get () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 11

measurements_get_with_http_info () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 11

measurements_post () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 11

measurements_post_with_http_info () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 12

MeasurementsApi (class in pyevr.openapi_client.api.measurements_api), 16

MeasurementUnit (class in pyevr.openapi_client.models.measurement_unit), 44

MeasurementUnitsApi (class in pyevr.openapi_client.api.measurement_units_api), 9

measurer_code (pyevr.openapi_client.models.measurement_act.MeasurementAct attribute), 44

K

key_file (pyevr.openapi_client.configuration.Configuration attribute), 90

L

last_modification_time (pyevr.openapi_client.models.waybill.Waybill attribute), 80

LASTMODIFICATIONTIMEASC (pyevr.openapi_client.models.waybill_sort_field.WaybillSortField attribute), 85

LASTMODIFICATIONTIMEDESC (pyevr.openapi_client.models.waybill_sort_field.WaybillSortField attribute), 85

length (pyevr.openapi_client.models.pack.Pack attribute), 48

location (pyevr.openapi_client.models.pack.Pack attribute), 48

logger (pyevr.openapi_client.configuration.Configuration attribute), 90

logger_file (pyevr.openapi_client.configuration.Configuration attribute), 90

logger_file_handler (pyevr.openapi_client.configuration.Configuration attribute), 90

logger_format (pyevr.openapi_client.configuration.Configuration attribute), 90

logger_stream_handler (pyevr.openapi_client.configuration.Configuration attribute), 90

mass (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 73

mass (pyevr.openapi_client.models.waybill.Waybill attribute), 80

measurement_unit_code (pyevr.openapi_client.models.assortment.Assortment attribute), 27

measurement_units_list () (pyevr.openapi_client.api.measurement_units_api.MeasurementUnitsApi method), 9

measurement_units_list_with_http_info () (pyevr.openapi_client.api.measurement_units_api.MeasurementUnitsApi method), 10

MeasurementAct (class in pyevr.openapi_client.models.measurement_act), 43

measurements (pyevr.openapi_client.models.add_measurement_act_request.AddMeasurementActRequest attribute), 25

measurements (pyevr.openapi_client.models.measurement_act.MeasurementAct attribute), 43

measurements_get () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 11

measurements_get_with_http_info () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 11

measurements_post () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 11

measurements_post_with_http_info () (pyevr.openapi_client.api.measurements_api.MeasurementsApi method), 12

MeasurementsApi (class in pyevr.openapi_client.api.measurements_api), 16

MeasurementUnit (class in pyevr.openapi_client.models.measurement_unit), 44

MeasurementUnitsApi (class in pyevr.openapi_client.api.measurement_units_api), 9

measurer_code (pyevr.openapi_client.models.measurement_act.MeasurementAct attribute), 44

N

name (pyevr.openapi_client.models.assortment.Assortment attribute), 27
 name (pyevr.openapi_client.models.certificate.Certificate attribute), 29
 name (pyevr.openapi_client.models.contact_person.ContactPerson attribute), 33
 name (pyevr.openapi_client.models.measurement_unit.MeasurementUnit attribute), 44
 name (pyevr.openapi_client.models.organization.Organization attribute), 45
 name (pyevr.openapi_client.models.owner.Owner attribute), 47
 name (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57
 name (pyevr.openapi_client.models.previous_owner.PreviousOwner attribute), 59
 name (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62
 name (pyevr.openapi_client.models.receiver.Receiver attribute), 63
 name (pyevr.openapi_client.models.representer.Representer attribute), 64
 name (pyevr.openapi_client.models.shipment_assortment.ShipmentAssortment attribute), 69
 name (pyevr.openapi_client.models.source.Source attribute), 72
 name (pyevr.openapi_client.models.transporter.Transporter attribute), 77
 name (pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery attribute), 84
 NATIVE_TYPES_MAPPING (pyevr.openapi_client.api_client.ApiClient attribute), 86
 near_address (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57
 near_address (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62
 near_address (pyevr.openapi_client.models.source.Source attribute), 72
 near_address (pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery attribute), 84
 number (pyevr.openapi_client.models.certificate_claim.CertificateClaim attribute), 30
 number (pyevr.openapi_client.models.forest_notice.ForestNotice attribute), 38
 number (pyevr.openapi_client.models.forest_notice_all_of.ForestNoticeAllOf attribute), 39
 number (pyevr.openapi_client.models.waybill.Waybill attribute), 80
 open_times (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57
 open_times (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62
 openapi_types (pyevr.openapi_client.models.add_measurement_act_request.AddMeasurementActRequest attribute), 25
 openapi_types (pyevr.openapi_client.models.add_shipments_to_waybill_request.AddShipmentsToWaybillRequest attribute), 26
 openapi_types (pyevr.openapi_client.models.address.Address attribute), 27
 openapi_types (pyevr.openapi_client.models.assortment.Assortment attribute), 28
 openapi_types (pyevr.openapi_client.models.authorization_type.AuthorizationType attribute), 28
 openapi_types (pyevr.openapi_client.models.cancel_waybill_request.CancelWaybillRequest attribute), 29
 openapi_types (pyevr.openapi_client.models.certificate.Certificate attribute), 30
 openapi_types (pyevr.openapi_client.models.certificate_claim.CertificateClaim attribute), 30
 openapi_types (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct attribute), 32
 openapi_types (pyevr.openapi_client.models.consolidated_act_all_of.ConsolidatedActAllOf attribute), 33
 openapi_types (pyevr.openapi_client.models.contact_person.ContactPerson attribute), 34
 openapi_types (pyevr.openapi_client.models.contract_for_transfer_of_goods.ContractForTransferOfGoods attribute), 35
 openapi_types (pyevr.openapi_client.models.coordinates.Coordinates attribute), 36
 openapi_types (pyevr.openapi_client.models.forest_act.ForestAct attribute), 37
 openapi_types (pyevr.openapi_client.models.forest_notice.ForestNotice attribute), 38
 openapi_types (pyevr.openapi_client.models.forest_notice_all_of.ForestNoticeAllOf attribute), 39
 openapi_types (pyevr.openapi_client.models.holding_base.HoldingBase attribute), 40
 openapi_types (pyevr.openapi_client.models.inventory_act.InventoryAct attribute), 41
 openapi_types (pyevr.openapi_client.models.inventory_act_all_of.InventoryActAllOf attribute), 42
 openapi_types (pyevr.openapi_client.models.measurement_act.MeasurementAct attribute), 44
 openapi_types (pyevr.openapi_client.models.measurement_unit.MeasurementUnit attribute), 44
 openapi_types (pyevr.openapi_client.models.organization.Organization attribute), 45
 openapi_types (pyevr.openapi_client.models.owner.Owner attribute), 47
 openapi_types (pyevr.openapi_client.models.pack.Pack attribute), 48
 openapi_types (pyevr.openapi_client.models.pack_location.PackLocation attribute), 49
 openapi_types (pyevr.openapi_client.models.paged_result_of_assortment.PagedResultOfAssortment attribute), 49

O

open_times (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57

openapi_types (pyevr.openapi_client.models.paged_result_of_certificate.PagedResultOfCertificate attribute), 50
 openapi_types (pyevr.openapi_client.models.paged_result_of_certificate.PagedResultOfCertificate attribute), 85
 openapi_types (pyevr.openapi_client.models.paged_result_of_measurement (pyevr.openapi_client.models.waybill_status.WaybillStatus attribute), 51
 openapi_types (pyevr.openapi_client.models.paged_result_of_measurement (pyevr.openapi_client.models.waybill_status.WaybillStatus attribute), 86
 openapi_types (pyevr.openapi_client.models.paged_result_of_measurement_unit.PagedResultOfMeasurementUnit attribute), 52
 openapi_types (pyevr.openapi_client.models.paged_result_of_organization (pyevr.openapi_client.models.waybill_status.WaybillStatus attribute), 53
 openapi_types (pyevr.openapi_client.models.paged_result_of_place_of_delivery (pyevr.openapi_client.models.waybill_status.WaybillStatus attribute), 45
 openapi_types (pyevr.openapi_client.models.paged_result_of_waybill.PagedResultOfWaybill attribute), 55
 openapi_types (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57
 openapi_types (pyevr.openapi_client.models.previous_owner.PreviousOwner (pyevr.openapi_client.api.organizations_api.OrganizationsApi attribute), 59
 openapi_types (pyevr.openapi_client.models.problem_details.ProblemDetails (class in pyevr.openapi_client.api.organizations_api.OrganizationsApi attribute), 59
 openapi_types (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62
 openapi_types (pyevr.openapi_client.models.receiver.Receiver (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 63
 openapi_types (pyevr.openapi_client.models.represented.Represented (pyevr.openapi_client.models.waybill.Waybill attribute), 64
 openapi_types (pyevr.openapi_client.models.sales_contract.SalesContract attribute), 66
 openapi_types (pyevr.openapi_client.models.sales_contract_all_of.SalesContractAllOf (pyevr.openapi_client.models.pack attribute), 68
 openapi_types (pyevr.openapi_client.models.shipment.Shipment attribute), 70
 openapi_types (pyevr.openapi_client.models.shipment_assortment.ShipmentAssortment attribute), 69
 openapi_types (pyevr.openapi_client.models.shipment_item.ShipmentItem (pyevr.openapi_client.models.pack_location attribute), 48
 openapi_types (pyevr.openapi_client.models.source.Source attribute), 72
 openapi_types (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 74
 openapi_types (pyevr.openapi_client.models.transport.Transport attribute), 76
 openapi_types (pyevr.openapi_client.models.transporter.Transporter attribute), 77
 openapi_types (pyevr.openapi_client.models.unload_waybill_request.UnloadWaybillRequest attribute), 77
 openapi_types (pyevr.openapi_client.models.validation_result.ValidationResult attribute), 78
 openapi_types (pyevr.openapi_client.models.viewer.Viewer attribute), 79
 openapi_types (pyevr.openapi_client.models.waybill.Waybill attribute), 81
 openapi_types (pyevr.openapi_client.models.waybill_authorization.WaybillAuthorization attribute), 83
 openapi_types (pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery attribute), 84

page_result (pyevr.openapi_client.models.paged_result_of_measurement_report, attribute), 52
 page_result (pyevr.openapi_client.models.paged_result_of_organization, attribute), 53
 page_result (pyevr.openapi_client.models.paged_result_of_place_of_delivery, attribute), 54
 page_result (pyevr.openapi_client.models.paged_result_of_waybill, attribute), 55
 page_size (pyevr.openapi_client.models.paged_result_of_assortment, attribute), 49
 page_size (pyevr.openapi_client.models.paged_result_of_certificate, attribute), 50
 page_size (pyevr.openapi_client.models.paged_result_of_measurement_act, attribute), 51
 page_size (pyevr.openapi_client.models.paged_result_of_measurement_unit, attribute), 52
 page_size (pyevr.openapi_client.models.paged_result_of_organization, attribute), 53
 page_size (pyevr.openapi_client.models.paged_result_of_place_of_delivery, attribute), 54
 page_size (pyevr.openapi_client.models.paged_result_of_waybill, attribute), 55
 PagedResultOfAssortment (class in pyevr.openapi_client.models.paged_result_of_assortment), 49
 PagedResultOfCertificate (class in pyevr.openapi_client.models.paged_result_of_certificate), 50
 PagedResultOfMeasurementAct (class in pyevr.openapi_client.models.paged_result_of_measurement_act), 51
 PagedResultOfMeasurementUnit (class in pyevr.openapi_client.models.paged_result_of_measurement_unit), 52
 PagedResultOfOrganization (class in pyevr.openapi_client.models.paged_result_of_organization), 53
 PagedResultOfPlaceOfDelivery (class in pyevr.openapi_client.models.paged_result_of_place_of_delivery), 54
 PagedResultOfWaybill (class in pyevr.openapi_client.models.paged_result_of_waybill), 55
 parameters_to_tuples () (pyevr.openapi_client.api_client.ApiClient method), 87
 password (pyevr.openapi_client.configuration.Configuration attribute), 90
 PATCH () (pyevr.openapi_client.rest.RESTClientObject method), 91
 phone (pyevr.openapi_client.models.contact_person.ContactPerson attribute), 34
 phone (pyevr.openapi_client.models.organization.Organization attribute), 46
 place_of_delivery (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 64
 place_of_deliveries_add_or_update_with_http_info () (pyevr.openapi_client.api.place_of_deliveries_api.PlaceOfDeliveriesApi method), 14
 place_of_deliveries_get_with_http_info () (pyevr.openapi_client.api.place_of_deliveries_api.PlaceOfDeliveriesApi method), 15
 place_of_deliveries_list_with_http_info () (pyevr.openapi_client.api.place_of_deliveries_api.PlaceOfDeliveriesApi method), 16
 place_of_delivery_mileage (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 74
 place_of_delivery_journey_mileage (pyevr.openapi_client.models.waybill.Waybill attribute), 81
 preferred_certificates (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 57
 preferred_certificates (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62
 previous_owner (pyevr.openapi_client.models.contract_for_transfer_of_goods.ContractForTransferOfGoods attribute), 35
 previous_owner (pyevr.openapi_client.models.sales_contract.SalesContract attribute), 66

previous_owner (pyevr.openapi_client.models.sales_contract_all_of_sales_contract_all_of_attribute), 68

PreviousOwner (class in pyevr.openapi_client.models.previous_owner), 58

PRIMITIVE_TYPES (pyevr.openapi_client.api_client.ApiClient attribute), 86

ProblemDetails (class in pyevr.openapi_client.models.problem_details), 59

product_group (pyevr.openapi_client.models.shipment_assortment.Assortment attribute), 69

product_group_code (pyevr.openapi_client.models.assortment.Assortment attribute), 28

proxy (pyevr.openapi_client.configuration.Configuration attribute), 90

proxy_headers (pyevr.openapi_client.configuration.Configuration attribute), 90

PUT () (pyevr.openapi_client.rest.RESTClientObject method), 91

PutPlaceOfDeliveryRequest (class in pyevr.openapi_client.models.put_place_of_delivery_request), 60

pyevr (module), 93

pyevr.client (module), 92

pyevr.openapi_client (module), 92

pyevr.openapi_client.api (module), 24

pyevr.openapi_client.api.assortments_api (module), 7

pyevr.openapi_client.api.certificates_api (module), 8

pyevr.openapi_client.api.measurement_units_api (module), 9

pyevr.openapi_client.api.measurements_api (module), 10

pyevr.openapi_client.api.organizations_api (module), 12

pyevr.openapi_client.api.place_of_deliveries_api (module), 14

pyevr.openapi_client.api.waybills_api (module), 17

pyevr.openapi_client.api_client (module), 86

pyevr.openapi_client.configuration (module), 88

pyevr.openapi_client.exceptions (module), 91

pyevr.openapi_client.models (module), 86

pyevr.openapi_client.models.add_measurement_request (module), 24

pyevr.openapi_client.models.add_shipment_request (module), 25

pyevr.openapi_client.models.address (pyevr.openapi_client.models.sales_contract_all_of_sales_contract_all_of_attribute), 68

pyevr.openapi_client.models.assortment (module), 27

pyevr.openapi_client.models.authorization_type (module), 28

pyevr.openapi_client.models.cancel_waybill_request (module), 28

pyevr.openapi_client.models.certificate (module), 29

pyevr.openapi_client.models.certificate_claim (module), 30

pyevr.openapi_client.models.shipment (module), 31

pyevr.openapi_client.models.consolidated_act (module), 32

pyevr.openapi_client.models.consolidated_act_all_of (module), 32

pyevr.openapi_client.models.contact_person (module), 33

pyevr.openapi_client.models.contract_for_transfer (module), 34

pyevr.openapi_client.models.coordinates (module), 35

pyevr.openapi_client.models.forest_act (module), 36

pyevr.openapi_client.models.forest_notice (module), 37

pyevr.openapi_client.models.forest_notice_all_of (module), 38

pyevr.openapi_client.models.holding_base (module), 40

pyevr.openapi_client.models.inventory_act (module), 40

pyevr.openapi_client.models.inventory_act_all_of (module), 41

pyevr.openapi_client.models.measurement_act (module), 43

pyevr.openapi_client.models.measurement_unit (module), 44

pyevr.openapi_client.models.organization (module), 45

pyevr.openapi_client.models.owner (module), 46

pyevr.openapi_client.models.pack (module), 47

pyevr.openapi_client.models.pack_location (module), 48

pyevr.openapi_client.models.paged_result_of_assortment (module), 49

pyevr.openapi_client.models.paged_result_of_certificate (module), 50

pyevr.openapi_client.models.paged_result_of_measurement (module), 51

pyevr.openapi_client.models.paged_result_of_measurement (module), 52

pyevr.openapi_client.models.paged_result_of_organization (module), 52

(*module*), 53

pyevr.openapi_client.models.paged_result_of_place_of_delivery_reason(*pyevr.openapi_client.models.cancel_waybill_request.CancelWaybillRequest*), 29

(*module*), 54

pyevr.openapi_client.models.paged_result_of_waybill_receiver(*class in pyevr.openapi_client.models.receiver*), 63

(*module*), 55

pyevr.openapi_client.models.place_of_delivery_receiver(*pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest*), 74

(*module*), 55

pyevr.openapi_client.models.previous_owner_receiver(*pyevr.openapi_client.models.waybill.Waybill*), 81

(*module*), 58

pyevr.openapi_client.models.problem_details_refresh_api_key_hook(*pyevr.openapi_client.configuration.Configuration*), 90

(*module*), 59

pyevr.openapi_client.models.put_place_of_delivery_request_attribute(*pyevr.openapi_client.models.organization.Organization*), 46

(*module*), 60

pyevr.openapi_client.models.receiver_attribute(*pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery*), 57

(*module*), 63

pyevr.openapi_client.models.representer_attribute(*pyevr.openapi_client.exceptions*), 91

(*module*), 64

pyevr.openapi_client.models.sales_contract_render_path(*in module pyevr.openapi_client.exceptions*), 91

(*module*), 65

pyevr.openapi_client.models.sales_contract_all_of_of(*class in pyevr.openapi_client.models.representer*), 64

(*module*), 66

pyevr.openapi_client.models.shipment_representer(*pyevr.openapi_client.models.owner.Owner*), 47

(*module*), 68

pyevr.openapi_client.models.shipment_assortment_request(*pyevr.openapi_client.api_client.ApiClient*), 88

(*module*), 69

pyevr.openapi_client.models.shipment_item_request(*pyevr.openapi_client.rest.RESTClientObject*), 91

(*module*), 70

pyevr.openapi_client.models.source(*module*), 71

pyevr.openapi_client.models.start_waybill_request(*pyevr.openapi_client.rest*), 91

(*module*), 73

pyevr.openapi_client.models.transport_rest_response(*class in pyevr.openapi_client.rest*), 92

(*module*), 75

pyevr.openapi_client.models.transporter_retries(*pyevr.openapi_client.configuration.Configuration*), 90

(*module*), 76

pyevr.openapi_client.models.unload_waybill_request_right_of_representation(*pyevr.openapi_client.models.representer.Representer*), 65

(*module*), 77

S

pyevr.openapi_client.models.validation_result_safe_chars_for_path_param(*pyevr.openapi_client.configuration.Configuration*), 90

(*module*), 78

pyevr.openapi_client.models.viewer(*module*), 78

pyevr.openapi_client.models.waybill_sales_contract(*class in pyevr.openapi_client.models.sales_contract*), 65

(*module*), 79

pyevr.openapi_client.models.waybill_authorization_sales_contract_all_of(*class in pyevr.openapi_client.models.sales_contract_all_of*), 66

(*module*), 82

pyevr.openapi_client.models.waybill_place_of_delivery_sanitize_for_serialization(*pyevr.openapi_client.api_client.ApiClient*), 88

(*module*), 83

pyevr.openapi_client.models.waybill_sort_field(*pyevr.openapi_client.api_client.ApiClient*), 88

(*module*), 84

pyevr.openapi_client.models.waybill_status_select_header_accept(*pyevr.openapi_client.api_client.ApiClient*), 88

(*module*), 85

pyevr.openapi_client.rest(*module*), 91

select_header_content_type(*pyevr.openapi_client.api_client.ApiClient*)

method), 88
 set_default() (pyevr.openapi_client.configuration.TypeWithDefault method), 25
 method), 90
 set_default_header() (pyevr.openapi_client.api_client.ApiClient method), 88
 Shipment (class in pyevr.openapi_client.models.shipment), 68
 ShipmentAssortment (class in pyevr.openapi_client.models.shipment_assortment), 69
 ShipmentItem (class in pyevr.openapi_client.models.shipment_item), 70
 shipments (pyevr.openapi_client.models.add_shipments_to_waybill_request.AddShipmentsToWaybillRequest attribute), 26
 shipments (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 74
 shipments (pyevr.openapi_client.models.waybill.Waybill attribute), 81
 SHIPPING (pyevr.openapi_client.models.waybill_status.WaybillStatus attribute), 85
 Source (class in pyevr.openapi_client.models.source), 71
 source (pyevr.openapi_client.models.shipment.Shipment attribute), 68
 source_document_url (pyevr.openapi_client.models.source.Source attribute), 72
 ssl_ca_cert (pyevr.openapi_client.configuration.Configuration attribute), 90
 StartWaybillRequest (class in pyevr.openapi_client.models.start_waybill_request), 73
 status (pyevr.openapi_client.models.problem_details.ProblemDetails attribute), 60
 status (pyevr.openapi_client.models.waybill.Waybill attribute), 81
 street (pyevr.openapi_client.models.address.Address attribute), 27
 submission_time (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 74
 submission_time (pyevr.openapi_client.models.waybill.Waybill attribute), 81
 to_dict() (pyevr.openapi_client.models.add_measurement_act_request.AddMeasurementActRequest method), 25
 to_dict() (pyevr.openapi_client.models.add_shipments_to_waybill_request.AddShipmentsToWaybillRequest method), 26
 to_dict() (pyevr.openapi_client.models.address.Address method), 27
 to_dict() (pyevr.openapi_client.models.assortment.Assortment method), 28
 to_dict() (pyevr.openapi_client.models.authorization_type.AuthorizationType method), 28
 to_dict() (pyevr.openapi_client.models.cancel_waybill_request.CancelWaybillRequest method), 29
 to_dict() (pyevr.openapi_client.models.certificate.Certificate method), 30
 to_dict() (pyevr.openapi_client.models.certificate_claim.CertificateClaim method), 30
 to_dict() (pyevr.openapi_client.models.consolidated_act.ConsolidatedAct method), 32
 to_dict() (pyevr.openapi_client.models.consolidated_act_all_of.ConsolidatedActAllOf method), 33
 to_dict() (pyevr.openapi_client.models.contact_person.ContactPerson method), 34
 to_dict() (pyevr.openapi_client.models.contract_for_transfer_of_cutting.ContractForTransferOfCutting method), 35
 to_dict() (pyevr.openapi_client.models.coordinates.Coordinates method), 36
 to_dict() (pyevr.openapi_client.models.forest_act.ForestAct method), 37
 to_dict() (pyevr.openapi_client.models.forest_notice.ForestNotice method), 38
 to_dict() (pyevr.openapi_client.models.forest_notice_all_of.ForestNoticeAllOf method), 39
 to_dict() (pyevr.openapi_client.models.holding_base.HoldingBase method), 40
 to_dict() (pyevr.openapi_client.models.inventory_act.InventoryAct method), 41
 to_dict() (pyevr.openapi_client.models.inventory_act_all_of.InventoryActAllOf method), 42
 to_dict() (pyevr.openapi_client.models.measurement_act.MeasurementAct method), 44
 to_dict() (pyevr.openapi_client.models.measurement_unit.MeasurementUnit method), 45
 to_dict() (pyevr.openapi_client.models.organization.Organization method), 46
 to_dict() (pyevr.openapi_client.models.owner.Owner method), 47
 to_dict() (pyevr.openapi_client.models.pack.Pack method), 48
 to_dict() (pyevr.openapi_client.models.pack_location.PackLocation method), 49
 to_dict() (pyevr.openapi_client.models.paged_result_of_assortment.PagedResultOfAssortment method), 50
 to_dict() (pyevr.openapi_client.models.paged_result_of_certificate.PagedResultOfCertificate method), 50
 temp_folder_path (pyevr.openapi_client.configuration.Configuration attribute), 90
 title (pyevr.openapi_client.models.problem_details.ProblemDetails attribute), 60
 to_debug_report() (pyevr.openapi_client.configuration.Configuration method), 90

`to_dict()` (`pyevr.openapi_client.models.paged_result_of_measurement` to_str method), 51
`to_dict()` (`pyevr.openapi_client.models.paged_result_of_measurement` method), 86
`to_dict()` (`pyevr.openapi_client.models.paged_result_of_measurement` method), 25
`to_dict()` (`pyevr.openapi_client.models.paged_result_of_organization` method), 26
`to_dict()` (`pyevr.openapi_client.models.paged_result_of_place_of_delivery` method), 27
`to_dict()` (`pyevr.openapi_client.models.paged_result_of_waybill` method), 28
`to_dict()` (`pyevr.openapi_client.models.place_of_delivery` method), 28
`to_dict()` (`pyevr.openapi_client.models.previous_owner` method), 29
`to_dict()` (`pyevr.openapi_client.models.problem_details` method), 30
`to_dict()` (`pyevr.openapi_client.models.put_place_of_delivery_request` method), 30
`to_dict()` (`pyevr.openapi_client.models.receiver` method), 32
`to_dict()` (`pyevr.openapi_client.models.representer` method), 33
`to_dict()` (`pyevr.openapi_client.models.sales_contract` method), 34
`to_dict()` (`pyevr.openapi_client.models.sales_contract_all_of` method), 35
`to_dict()` (`pyevr.openapi_client.models.shipment` method), 36
`to_dict()` (`pyevr.openapi_client.models.shipment_assortment` method), 37
`to_dict()` (`pyevr.openapi_client.models.shipment_item` method), 38
`to_dict()` (`pyevr.openapi_client.models.source` method), 39
`to_dict()` (`pyevr.openapi_client.models.start_waybill_request` method), 40
`to_dict()` (`pyevr.openapi_client.models.transport` method), 41
`to_dict()` (`pyevr.openapi_client.models.transporter` method), 43
`to_dict()` (`pyevr.openapi_client.models.unload_waybill_request` method), 44
`to_dict()` (`pyevr.openapi_client.models.validation_result` method), 45
`to_dict()` (`pyevr.openapi_client.models.viewer` method), 46
`to_dict()` (`pyevr.openapi_client.models.waybill` method), 47
`to_dict()` (`pyevr.openapi_client.models.waybill_authorization` method), 48
`to_dict()` (`pyevr.openapi_client.models.waybill_place_of_delivery` method), 49
`to_dict()` (`pyevr.openapi_client.models.waybill_sort_field` method), 50

unloading_comment (pyevr.openapi_client.models.waybill.Waybill attribute), 82
 unloading_time (pyevr.openapi_client.models.waybill.Waybill attribute), 82
 UnloadWaybillRequest (class in pyevr.openapi_client.models.unload_waybill_request), 77
 update_params_for_auth() (pyevr.openapi_client.api_client.ApiClient method), 88
 user_agent (pyevr.openapi_client.api_client.ApiClient attribute), 88
 user_custom_data (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 58
 user_custom_data (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62
 user_custom_data (pyevr.openapi_client.models.shipment.Shipment attribute), 69
 user_custom_data (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 74
 user_custom_data (pyevr.openapi_client.models.waybill.Waybill attribute), 82
 user_custom_data (pyevr.openapi_client.models.waybill_place_of_delivery.WaybillPlaceOfDelivery attribute), 84
 username (pyevr.openapi_client.configuration.Configuration attribute), 90

V

ValidationResult (class in pyevr.openapi_client.models.validation_result), 78
 VAN (pyevr.openapi_client.models.pack_location.PackLocation attribute), 49
 van_registration_number (pyevr.openapi_client.models.transport.Transport attribute), 76
 verify_ssl (pyevr.openapi_client.configuration.Configuration attribute), 90
 Viewer (class in pyevr.openapi_client.models.viewer), 78
 viewers (pyevr.openapi_client.models.start_waybill_request.StartWaybillRequest attribute), 75

W

Waybill (class in pyevr.openapi_client.models.waybill), 79
 waybill_authorizations (pyevr.openapi_client.models.place_of_delivery.PlaceOfDelivery attribute), 58
 waybill_authorizations (pyevr.openapi_client.models.put_place_of_delivery_request.PutPlaceOfDeliveryRequest attribute), 62
 waybill_authorizations (pyevr.openapi_client.models.waybill.Waybill attribute), 82
 waybill_authorizations (pyevr.openapi_client.models.waybill_authorization), 82
 waybill_place_of_delivery (pyevr.openapi_client.models.waybill_place_of_delivery), 83
 waybills_add_shipments() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 17
 waybills_add_shipments_with_http_info() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 18
 waybills_cancel_with_http_info() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 18
 waybills_finish() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 20
 waybills_get() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 20
 waybills_get2() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 21
 waybills_get2_with_http_info() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 21
 waybills_get_with_http_info() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 21
 waybills_post() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 22
 waybills_post_with_http_info() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 23
 waybills_unload() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 23
 waybills_unload_with_http_info() (pyevr.openapi_client.api.waybills_api.WaybillsApi method), 24
 WaybillSortField (class in pyevr.openapi_client.models.waybill_sort_field), 85
 WaybillStatus (class in

`pyevr.openapi_client.models.waybill_status),`
85
width `(pyevr.openapi_client.models.pack.Pack attribute),` 48

X

x `(pyevr.openapi_client.models.coordinates.Coordinates attribute),` 36

Y

y `(pyevr.openapi_client.models.coordinates.Coordinates attribute),` 36